

DATASHEET

Cable Ties

Miniature Range













Т١	/	HO	llu	IC	110	HIU	U
						J	1

· Options:

· Material:

Temperatures:

Limit Oxygen Index (LOI):

· Flammability Rating:

• Dielectric Strength:

· Weather Resistance:

Comply With:

• UL Approved:

· Characteristics:

• Example Applications:

Natural or Black.

Nylon 66.

Operating Temperature: -40°C to +85°C. Tightening Temperature: -10°C 60 +60°C. Max. Admissible Point: +110°C (For Short Time).

Fusion Temperature: +256°C.

27%.

UL 94 Class V2.

50.000 Volts/mm.

High resistance to bases, oils, greases, oil derivatives, chloride solvents; limited resistance to acids; not resistant to phenols; halogen-free resins.

BS EN50146, BE EN 62275:2009, DIN EN 62275(VDE0604-201):2010-07, IEC 62275(2006-10).


E474504.


• Krimpterm Cable Ties are produced in UL Approved Nylon 6.6 giving excellent Flexibility and Mechanical Strength.

- The Black Cable Ties have added Carbon Black enabling them to be UV Stable and suitable for Outdoor Use and giving excellent resistance to weathering and ageing.
- High tensile strength with low insertion force.

Electrical installations, Industrial Wiring, Automotive, Panel building.







Date: 15 February 2022



Cable Ties

Miniature Range

Item No.	Colour	Width W (mm)	Thickness (mm)	Length L (mm)	Max. Bundle Diameter (mm)	Min. Tensile Strength (kg)
CT22-B	Black	2.5	1.0	80	16	8
CT1-B	Black	2.5	1.1	100	22	8
CT38-B	Black	2.5	1.3	120	28	8
CT23-B	Black	2.5	1.3	165	43	8
CT4-B	Black	2.5	1.3	200	55	8
CT47-B	Black	2.5	1.3	250	68	8
CT53-B	Black	2.5	1.4	400	116	8
CT22-W	Natural	2.5	1.0	80	16	8
CT1-W	Natural	2.5	1.1	100	22	8
CT38-W	Natural	2.5	1.3	120	28	8
CT23-W	Natural	2.5	1.3	165	43	8
CT4-W	Natural	2.5	1.3	200	55	8
CT47-W	Natural	2.5	1.3	250	68	8
CT53-W	Natural	2.5	1.4	400	116	8

STORAGE AND USAGE OF NYLON CABLE TIES

Krimpterm cable ties are made from high quality Nylon 66 resin. Moisture absorption is an essential factor for this material to retain its strength and maintain optimal performance. To this end, it is important for the cable ties to be kept in a sealed package wherever possible.

Below are some helpful storage suggestions:

- **1.** The ideal storage temperature is around 23°C with the humidity over 50%.
- 2. Do not open the bag before use. Please try to finish the whole package of cable ties shortly after opening or reseal the bag until you are ready to use again.

Date: 15 February 2022

- 3. Do not expose directly under sunlight (except UV weather resistant cable ties).
- **4.** Avoid storing cable ties close to warm objects (such as heaters).