

PRODUCT DATASHEET

Type: LAVA2-STEEL-500-W

Art. Nr.: 39619



Short description

infrared heating panel, metal, white, 90x63cm, 500W, 230V



Product Description

The LAVA 2.0 designer infrared heaters are particularly efficient and energy-saving. The 6 mm thick surface material made of safety glass, special ceramic or fine stone and 2 temperature limiters in all panels guarantee safety in use at all times. The innovative technology makes the surfaces a very good radiation emitter. In conjunction with the even heat distribution on the surface, the optimally insulated rear guarantees high radiation efficiency and therefore maximum infrared heat radiation to the front of the room. The frameless construction ensures a modern design. There are four surfaces (STEEL / GLASS / CERAMIC / STONE) and up to 6 outputs to choose from. The practical Plug & Play box at the rear of all LAVA 2.0 models enables simple installation of a control unit, whether directly on the appliance, by radio or using a wired controller. As LAVA DYL 2.0 - Design Your LAVA, it is possible to apply your own designs, pictures and photos to the LAVA GLAS 2.0 or LAVA BATH 2.0. On/off switch, surface temperature: max. 95 °C, vertical and horizontal wall mounting possible, protection class: IP X4, surfaces: sheet steel, 6 mm toughened safety glass, 6 mm special ceramic or 6 mm fine stone, plug connection cable: 1 m, test mark: TÜV, CÉ compliant.

ETIM characteristics

Type of IR radiation	IR-C	Power consumption	500 Watt
Mounting method	Surface mounting	Supply voltage	230 230 Volt
Mounting direction	Horizontal/vertical	Frequency supply voltage	50 50 Hertz
Suitable for ceiling		Max. surface temperature	95 Degree
mounting	×		
Degree of protection (IP)	IPX4	Height	630 Millime
Colour	White	Width	900 Millime
With imprint	×	Depth	57 Millime
With room temperature		RAL-number	9016
controller	×		
With mounting material	✓	Colour temperature	0 0 Kelvin
With framework	×		
Material framework	Other		
Colour framework	White		
Surface treatment	Other		
Surface structure front- side panel	Smooth		
With lighting cove	×		
Dimmable	×		

Created on: 09/10/2024

95 Degrees celsius

630 Millimetre 900 Millimetre 57 Millimetre

Light outlet

Direct

Tel.: +49 2562 / 81 97 00 Mail: office.de@etherma.com Web: www.etherma.com