


# Eaton 215642

Catalog Number: 215642

Eaton Moeller series xPole - Busbar. EV busbars 2Ph., 6HP, 63A for PLS. CLS. PKN., PFIM, PFHM, PFNM

## General specifications



Product Name	Catalog Number
Eaton Moeller series busbar	215642
Model Code	EAN
EVG-2PHAS/6MODUL	4015082156428
Product Length/Depth	Product Height
104 mm	30 mm
Product Width	Product Weight
7 mm	0.025 kg
Compliances	Certifications
RoHS conform	CE

## Product specifications

### Used with

PLS. CLS. PKN., PFIM, PFHM, PFNM

EVG

Busbar

### Type

Busbar

EVG

### Features

Insulated

### Accessory/spare part type

Busbar for residual current circuit breakers

Busbar for miniature circuit breaker

Busbar for combined residual current/power circuit breaker

### Electric connection type

Fork

### Rated surge voltage

4 kV

### Rated uninterrupted current (I<sub>u</sub>)

63 A

### Suitable for number of devices

3

### Number of poles

Two-pole

### Color

Other

### Rated short-time withstand current (I<sub>cw</sub>)

0 kA

### Cross section

10 mm<sup>2</sup>

### Number of modular spacings

6

### Number of phases

2

### Pitch dimensions

0 mm

## Resources

### Declarations of conformity

DA-DC-03\_EVG

### Drawings

eaton-busbar-3d-drawing.jpg

### Specifications and datasheets

Eaton Specification Sheet - 215642

Rated operational voltage (Ue) - max

500 V

Rated conditional short-circuit current (Iq)

25 kA

Functions

Busbar

Suitable for

3 devices



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)