

Eaton 215638

Catalog Number: 215638

Eaton Moeller series xPole - Busbar. EV busbars 1Ph., 6HP, 63A for PLS. CLS. PKN., PFIM, PFHM, PFNM

General specifications



Product Name	Catalog Number
Eaton Moeller series busbar	215638
Model Code	EAN
EVG-1PHAS/6MODUL	9010238140356
Product Length/Depth	Product Height
105 mm	35 mm
Product Width	Product Weight
30 mm	0.021 kg
Compliances	Certifications
RoHS conform	CE

Product specifications

Used with

EVG

Busbar

Type

Busbar

EVG

Features

Insulated

Accessory/spare part type

Busbar for miniature circuit breaker

Busbar for combined residual current/power circuit breaker

Busbar for residual current circuit breakers

Electric connection type

Fork

Rated surge voltage

4 kV

Rated uninterrupted current (Iu)

63 A

Suitable for number of devices

6

Number of poles

Single-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

10 mm²

Number of modular spacings

6

Number of phases

1

Pitch dimensions

0 mm

Rated operational voltage (Ue) - max

500 V

Resources

Declarations of conformity

[DA-DC-03_EVG](#)

Drawings

[eaton-busbar-3d-drawing.jpg](#)

[eaton-mcb-busbar-3d-drawing-003.eps](#)

Specifications and datasheets

[Eaton Specification Sheet - 215638](#)

Rated conditional short-circuit current (Iq)

25 kA

Functions

Busbar

Suitable for

6 devices



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia