

Eaton M22S-D-W

Catalog Number: M22S-D-W

Eaton 22.5 mm RMQ-Titan Pushbutton,White Actuator,Black bezel,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22

General specifications



Product Name	Catalog Number
Eaton M22 modular pushbutton	M22S-D-W
UPC	Product Length/Depth
786685275338	7 in
Product Height	Product Width
1.5 in	5 in
Product Weight	Warranty
1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
CE Marked	CSA Certified
Bureau Veritas	CCC Marked
GoST-R	Lloyd's Register Certified
Catalog Notes	
Includes contact block mounting adapter.	

Product specifications

Type

Pushbutton

Actuator color

White

Bezel

Black

Actuator function

Momentary

Enclosure

IP67

IP69K

Button color

White

Actuator

Flush, button

Operating mode

Momentary

Illumination

Non-illuminated

Series

M22

Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

Operating cycles

5 million

Mounting method

Flush

Degree of protection

NEMA 4X

NEMA 13

Product category

Flush pushbutton

Size

22.5 mm

Resources

Brochures

[M22 Pilot Devices](#)

Installation instructions

[M22 Operators and Accessories](#)

Specifications and datasheets

[Eaton Specification Sheet - M22S-D-W](#)

[Global Data Sheet - M22S-D-W](#)

Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia