

Eaton KTK-R-30

Catalog Number: KTK-R-30

Eaton Bussmann Series Class CC fuse, KTK-R, fast-acting, dual-element current limiting fuse, 30 A, rejection style fuse, interrupting rating of 200kA at 600Vac

General specifications

| | |
|----------------------------------|-----------------------------|
| Product Name | Catalog Number |
| Eaton Bussmann series KTK-R fuse | KTK-R-30 |
| UPC | Product Length/Depth |
| 051712420747 | 1.5 in |
| Product Height | Product Width |
| 0.41 in | 0.41 in |
| Product Weight | Warranty |
| 0.18 lb | Not Applicable |
| Compliances | Certifications |
| CE Marked | UL Listed |
| RoHS Compliant | CSA Certified |



Product specifications

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

30 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-30

Technical data sheets

KTK-R Spec Sheet

KTK-R-30~CLASS CC FAST ACTING FUSE



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)