

PRODUCT DATASHEET

Decor Mold Pendant 225MM 1XE27 Dark Gray

Decor Mold Pendant | Decorative luminaires made of colorful concrete with E27 sockets



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source thanks to E27 base
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and concrete
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Diameter	225.00 mm
Height	1500.00 mm
Product weight	1500.00 g



DECOR MOLD PENDANT 200MM
1XE27 DG

Materials & Colors

Product color	Dark gray
Housing color	Dark gray
Body material	Concrete

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Mounting location	Ceiling
Application environment	Indoor

With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 40W (15W LED) / Available from October 2024
Number of illuminants	1

DOWNLOAD DATA

Documents and certificates		Document name
	User Instruction	DECOR MOLD PENDANT 1XE27
	Legal information	DECOR

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841628	Folding box 1	272 mm x 272 mm x 233 mm	1805.00 g	17.24 dm³
4058075841635	Shipping box 2	567 mm x 292 mm x 260 mm	4347.00 g	43.05 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.