

PRODUCT DATASHEET

Decor Impact Table 1XE27 Beige and Gray

Decor Impact Table | Decorative luminaire made of concrete with E27 socket



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source thanks to E27 base
- Sustainable solution thanks to exchangeable light sources
- Lampshade made of recycled materials

Product features

- Housing material: concrete and fabrics
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Diameter	220.00 mm
Height	380.00 mm
Product weight	2500.00 g
Cable length	1600 mm



DECOR IMPACT TABLE 1XE27

Materials & Colors

Product color	Beige Gray
Housing color	Beige Gray
Body material	Concrete

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Dimmable	No
Mounting type	Standing
Mounting location	Table
Application environment	Indoor

Adjustable	No
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE
-----------	----

Additional product data

Product remark	Maximum bulb wattage: 40W (15W LED) / Available from October 2024
Number of illuminants	1

DOWNLOAD DATA

Documents and certificates		Document name
	User Instruction	DECOR IMPACT TABLE 1XE27
	Legal information	DECOR IMPACT TABLE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841680	Folding box 1	262 mm x 262 mm x 463 mm	2924.00 g	31.78 dm³
4058075841697	Shipping box 2	547 mm x 282 mm x 490 mm	6863.00 g	75.58 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.