

Doc. no.

2CDU 514 013 D0201

Rev. ind.

2008-03-04

01

Date From

Peter Heilig

Dept.

DESTO/GT

Phone

+49 6221 701-727

Fax

+49 6221 701-355

E-mail

peter.heilig@de.abb.com

## **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial IT Enabled level 0.

Product name	RM/S 1.1 Room Master, Basic, MDRC
ABB Identity number	2CDG 110 094 R0011
Information provided by	Peter Heilig
(Name and e-mail address)	peter.heilig@de.abb.com
Business area	Low Voltage Products – ATAP
Date	2008-03-04

#### 1. Related documents

Industrial <sup>IT</sup> Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial IT Certification Guideline, 3BSE024526

Industrial <sup>IT</sup> Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

## Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Doc. no.

Date

2CDU 514 013 D0201

Rev. ind.

01

2008-03-04

#### 2. **Environmental Information**

#### Content of hazardous materials 1.0

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	<b>Quantity/unit</b> Optional <sup>(1)</sup>
Lead	Batteries, cables, solder		<b>✓</b>	
Cadmium	Batteries, switches, additive in lead		<b>V</b>	
Mercury	Batteries, switches		<b>V</b>	
Beryllium	Contact springs		<b>√</b>	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		1	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		<b>*</b>	·
SF6, sulphurhexafluoride	Breakers		1	
Polyvinyl chloride, PVC	Cables	,	<b>✓</b>	

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

# 1.0.0Printed circuit boards

	y the amount of printed circuit boards used in the product by declaring the total surface:
	< 1 dm <sup>2</sup>
✓	1 - 10 dm <sup>2</sup>
	$> 10 \text{ dm}^2$
	No printed circuit boards used in the product

material is pre	specify, in the table below, the component/part/physical position where
✓ No	anasify in the table below the companent/port/physical position where
. Na	
☐ Yes	Ref. Document:
Is recycling in	nformation for the product available?
cling info	rmation
	Rev. ind. 01 Date 2008-03-04
	Doc. no. 2CDU 514 013 D0201

Yes Ref. Document:.... No If No, please specify, in the table below, the con e the material is present:

Recycling information

2.0

Material	Component/part/physical position	
Lead		
Cadmium		
Mercury		
Beryllium		
Brominated flame retardants		
HCFCs		
SF6, sulphurhexafluoride		
Polyvinyl chloride, PVC		

### 3.0 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

✓	Yes	Ref. Document : Technical data sheet
	No	
П	Not re	elevant