



Color: ■ dark gray



Electrical data

Ratings per IEC/EN	
Nominal voltage (III/3)	400 V
Rated current	41 A

Physical data

Width	12.3 mm / 0.484 inches
Height	3.8 mm / 0.15 inches
Depth	23.9 mm / 0.941 inches
Jumper assignment	1-2



Material data		
Note (material data)		Information on material specifications can be found here
Color		dark gray
Insulation material (main housing)		Polyamide (PA66)
Fire load		0 MJ
Weight of insulation material		0.28 g
Weight		2.7 g

Environmental requirements		
Continuous operating temperature		-60 ... +105 °C

Commercial data		
ETIM 9.0		EC000489
ETIM 8.0		EC000489
PU (SPU)		5 pcs
Packaging type		Bag
Country of origin		CN
GTIN		4055144067965
Customs tariff number		85366990990

Environmental Product Compliance		
RoHS Compliance Status		Compliant, No Exemption

Downloads		
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 221-942		

Documentation			
Bid Text			
221-942	docx	27.51 KB	
221-942	xml	2.96 KB	

CAD/CAE-Data


CAD data

2D/3D Models 221-942




Installation Notes

Commoning



Extending the N and PE (ground) distribution via jumper

Commoning




Insert the jumper without a locking function into open clamping units.

Commoning



Without a locking function:
The jumper without a locking function is plugged into the splicing connectors.

Commoning



Remove the jumper from open clamping units.