






Color: ■ gray

Similar to illustration



DIN-rail-mount PCB carrier, size 1



Dimensions in mm
L1 = PCB length
L2 = L1 - 11 mm (L2 = carrier base length)
L3 = L1 + 2 mm

DIN-rail mount PCB carrier, size 1 – carrier base, size 1; 1 m long

Notes	
Note	Length calculation for a complete mounting carrier: · PCB length: L1 · Base length: L2 = L1 - 11 mm · Mounting carrier length: L3 = L1 + 2 mm · Lateral cover, size 1, 6.35 mm thick · Free space between base and PCB (when using upper PCB groove): 5 mm PCB tolerances: 1.5 mm ± 0.2 mm (thickness), ± 0.2 mm (length/width), -0.1/+0.3 for milling contours



Physical data	
Width	1000 mm / 39.37 inches
Height	71.2 mm / 2.803 inches

Mechanical data	
Mounting type	DIN-35 rail

Material data	
Color	gray
Fire load	0 MJ
Weight	248 g

Commercial data	
Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-18-27-02
eCl@ss 9.0	27-18-27-02
ETIM 9.0	EC001031
ETIM 8.0	EC001031
PU (SPU)	1 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332639484
Customs tariff number	39169010900

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 288-600	

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 288-600	WSCAD Universe 288-600
	ZUKEN Portal 288-600



1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



[Item No.: 210-533](#)
Phillips screw 2.9 x 13

1.1.1.2 Mounting carrier and mounting feet



[Item No.: 288-602](#)
Fixing foot for DIN 35 rail; gray



[Item No.: 288-601](#)
Lateral cover; Size 1; small; 6.35 mm thick; gray

1.1.2 Marking

1.1.2.1 Marking strip



[Item No.: 709-196](#)
Marking strips; for laser printer; translucent



[Item No.: 709-177](#)
Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; translucent



[Item No.: 709-178](#)
Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; white