




Color: ☐ transparent

Technical data	
Delivery form	Component
Properties	for one 211-821 marker
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Length	23 mm

Mechanical data	
Mounting type	Mounting with cable ties

Material data	
Color	transparent
Material	Polyurethane
Adhesive information	without adhesive
Halogen-free	Yes
Weight	0.3 g
Fire load	0 MJ

Environmental requirements	
Ambient temperature (storage)	+5 ... +40 °C
Ambient temperature (operation)	-40 ... +80 °C
Relative humidity	40 ... 80 %



Commercial data		
Product Group	2 (Terminal Block Accessories)	
eCl@ss 10.0	27-40-04-01	
eCl@ss 9.0	27-40-04-01	
ETIM 9.0	EC001530	
ETIM 8.0	EC001530	
PU (SPU)	200 pcs	
Packaging type	Box	
Country of origin	IT	
GTIN	4050821675037	
Customs tariff number	39269097900	

Environmental Product Compliance		
RoHS Compliance Status	Compliant, No Exemption	

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-829

↓


1 Compatible Products
1.1 Required Accessories
1.1.1 Marking
1.1.1.1 Marker




[Item No.: 211-821](#)
Marker; for Smart Printer; for use in nozzles; Length: 23 mm; white

Installation Notes

Application



Slide the marker through the marker slot up to the end of the sleeve.



Then remove the rest of the card by twisting it off.

Marking



Attach the marking sleeve (211-829) to individual cables or conductors via cable ties.