

Data Sheet | Item Number: 211-812

Nozzles; Length: 12 mm; For the use of 211-811; halogen-free; Cable outer diameter: 1.4 ... 5.0 mm; transparent

<https://www.wago.com/211-812>



Color: ☐ transparent

Technical data		
Suitable		for wire diameter 1.4 ... 5 mm
Delivery form		Component
Properties		for one 211-811 marker
Printing device		Smart Printer (thermal transfer printer)
Physical data		
Length		12 mm
Mechanical data		
Mounting type		Sliding on conductor
Material data		
Color		transparent
Material		Polyurethane
Adhesive information		without adhesive
Halogen-free		Yes
Weight		0.2 g
Fire load		0 MJ
Environmental requirements		
Ambient temperature (storage)		+5 ... +40 °C
Ambient temperature (operation)		-40 ... +80 °C
Relative humidity		40 ... 80 %

Commercial data		
Product Group	2 (Terminal Block Accessories)	
eCl@ss 10.0	27-40-04-01	
eCl@ss 9.0	27-40-04-01	
ETIM 9.0	EC001530	
ETIM 8.0	EC001530	
PU (SPU)	500 pcs	
Packaging type	Box	
Country of origin	IT	
GTIN	4050821674986	
Customs tariff number	39269097900	

Environmental Product Compliance		
RoHS Compliance Status	Compliant,No Exemption	

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-812

↓

1 Compatible Products
1.1 Required Accessories
1.1.1 Marking
1.1.1.1 Marker



Item No.: 211-811

Marker; for Smart Printer; for use in nozzles; Length: 12 mm; white


Installation Notes

Application



Slide the marker into the marking sleeve receptacle. Replacing the marker is also possible after the conductor has been terminated.

Application



Compress the sleeve and slide it onto the conductor to be marked.