

PRODUCT DATASHEET

Decor Terrazzo Ball Pendant 1XGU10 White

Decor Terazzo Ball Pendant | Decorative luminaires with GU10 sockets



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and terrazzo
- Textile cable


TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Diameter	100.00 mm
Height	1500.00 mm
Product weight	1400.00 g



DECOR TERRAZZO BALL PEND
1XGU10 WT

Materials & Colors

Product color	White
Housing color	White
Body material	Terrazzo

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Mounting location	Ceiling
Application environment	Indoor
With light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 5 W LED
Number of illuminants	1

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	DECOR TERRAZZO BALL PEND 1XGU10
	Legal information	Legal insert luminaires without light source
	Declarations of conformity	DECOR LUM
	Declarations of conformity UKCA	DECOR LUM

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841703	Folding box 1	172 mm x 172 mm x 223 mm	1562.00 g	6.60 dm ³
4058075841710	Shipping box 4	367 mm x 367 mm x 250 mm	6952.00 g	33.67 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.