

# PRODUCT DATASHEET Decor Bubble Pendant 6XE27 Multicolor

Decor Bubble | Decorative luminaires made of colourful metal with E27 socket



#### Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

#### Product benefits

- Contrasting color tones
- Design enables the lamp to be the luminaire highlight
- Different types of luminaires with the same design language maintain a consistent style at home
- Inline-switch for table and floor luminaire
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

#### **Product features**

- Housing material: metal
- Textile cable




## **TECHNICAL DATA**

## Electrical data

Nominal voltage	220240 V
Protection class	П
Operating mode	Mains voltage

# Dimensions & Weight

Length	700.00 mm
Width	680.00 mm
Height	430.00 mm
Product weight	1745.00 g



# DECOR BUBBLE PENDANT 6XE27

## Materials & Colors

Product color	Multi color
Housing color	Multi color
Body material	Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

# **Application & Mounting**

Ambient temperature range -20+40 °C  Temperature range at storage -20+80 °C  Type of connection Terminal, 2-Pole (L, N)  Type of protection IP20  Dimmable No  Mounting type Suspended		
Type of connection  Terminal, 2-Pole (L, N)  Type of protection  IP20  Dimmable  No  Mounting type  Suspended	Ambient temperature range	-20+40 °C
Type of protection IP20  Dimmable No  Mounting type Suspended	Temperature range at storage	-20+80 °C
Dimmable No  Mounting type Suspended	Type of connection	Terminal, 2-Pole (L, N)
Mounting type Suspended	Type of protection	IP20
	Dimmable	No
Application environment Indoor	Mounting type	Suspended
Application of the first transfer and the first transfer and the first transfer and	Application environment	Indoor
With light source No	With light source	No

Holder designation	E27
--------------------	-----

## Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

# Additional product data

Product remark	Maximum bulb wattage: 6 x 25 W (6 x 15W LED)	
Number of illuminants	6	

## Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	Decor Bubble Pendant and ceiling
PDF	Legal information	DECOR DRUMS/PLISSE/STRAW/BUBBLE
PDF	Declarations of conformity	DECOR LUM
PDF	Declarations of conformity UKCA	DECOR LUM

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075838901	Folding box 1	287 mm x 317 mm x 743 mm	2426.00 g	67.60 dm <sup>3</sup>
4058075838918	Shipping box 2	595 mm x 330 mm x 760 mm	6459.00 g	149.23 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.