

PRODUCT DATASHEET SMART WIFI CRYSTAL STRING Magic RGB

SMART+ WIFI CRYSTAL STRING LIGHT | LED String Light with colorful light

Areas of application

- Gardens, balconies and other outdoor areas

Product benefits

- Uses multi color light for most flexible lighting scenes
- Easy and quick installation

Product features

- RGB color control

TECHNICAL DATA

Electrical data


Nominal wattage	8.40 W
Nominal voltage	220240 V
Nominal current	300.000 mA
Power factor λ	> 0.5
Protection class	II

Photometrical data

Light color (designation)	Red / Green / Blue
Beam angle	120 °

Dimensions & Weight

Length	19900.00 mm
Product weight	504.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Acrylonitrile butadiene styrene (ABS)

Application & Mounting

Type of connection	Plug type C (EU)
Type of protection	IP44
Dimmable	Yes
Mounting type	Surface

Certificates & Standards

Standards	CE
Replaceable light source (EPREL)	Not replaceable

Safety advice

- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.
- The external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.

DOWNLOAD DATA

	Documents and certificates Document name	
PDF	User instruction / safety instructions	SMART WIFI CRYSTAL STRING
PDF	Declarations of conformity	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854373060	Folding box 1	81 mm x 141 mm x 200 mm	559.00 g	2.28 dm ³
4099854373077	Shipping box 6	292 mm x 254 mm x 244 mm	3147.00 g	18.10 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.