

ToLEDo Superia T5 ECG HE V3 2FT 1000LM 840
0029261



Features

- 50,000 hours average rated lifetime Last 2.5 times longer than 14W 549mm fluorescent tri-phosphor T5 lamp High switching cycles – 200,000X High lumen efficacy Omni-directional light distribution and wide beam angle Minimum and maximum operating temperature: -20°C to 50°C Glass construction and polycarbonate end-caps Not suitable for direct mains (AC 220-240V) or magnetic/ CCG ballast Works only with compatible electronic ballasts Ideal for factories, parking lots, supermarkets, department stores, schools and offices

Product Overview

Product name	ToLEDo Superia T5 ECG HE V3 2FT 1000LM 840
Technology	LED
Watt (Rated) (W)	7
Lamp shape	Tube, double-ended
Cap/Base	G5
Lamp finish	Opal
Fixture rating	Open
General application	Office
ETIM Class	EC001959
Correlated colour temperature (k)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Beam Angle (°)	150
Photobiological Risk Group	RG0
Wattage (W)	7
Power consumption (W)	7
Dimmable	No
Average life (Nominal) (h)	50000
Housing colour	White



ToLEDo Superia T5 ECG HE V3 2FT 1000LM 840
0029261

IP rating	IP20
Product EAN number	5410288292618
Warranty	5 years
Useful luminous flux (#use)	1100

Technical drawings

