


ONETRCK 3PHASE L-FEED CONNECTOR OUT WHITE 9012-4/W
9200725



Features


- OneTrack 3-phase accessory, L-feed connector, polarity ridge is in the outer side. Polycarbonate body, copper alloy contacts. White. Please check the polarity diagram on selling sheet. Please check the safety sheet to supply the track with this accessory and follow the instructions correctly.

Product Overview

Product name	ONETRCK 3PHASE L-FEED CONNECTOR OUT WHITE 9012-4/W
Technology	Accessory
Mount	Track mounting
General application	Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	White
Product EAN number	4012289007256
Warranty	5 years

ONETRCK 3PHASE L-FEED CONNECTOR OUT WHITE 9012-4/W
9200725

Technical drawings



Data table

GENERAL DATA

Product name	ONETRCK 3PHASE L-FEED CONNECTOR OUT WHITE 9012-4/W		
Technology	Accessory		
Accessory type	Electrical		
Type of accessory	Coupler/connector L-shape		
Mount	Track mounting		
General application	Museums & Galleries, Office		
ETIM Class	EC002556		
Warranty	5 years		

ONETRCK 3PHASE L-FEED CONNECTOR OUT WHITE 9012-4/W 9200725

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm ²)	2.5

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	89.7
Nominal Product Width (mm)	25.4
Nominal Product Height (mm)	89.7
Weight (kg)	0.19

PACKAGING

Product EAN number	4012289007256
Packaging single length / height (cm)	16.7
Packaging single width (cm)	16.7
Packaging single depth (cm)	0.32
Units per outer package	50
Packaging outer length / height (cm)	40.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	22.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No