


Features

- Lytespan H-Track accessory, live end feed right. Polycarbonate body, copper alloy contacts. White. Please check the polarity diagram on selling sheet.

Product Overview

Product name	LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H
Technology	Accessory
Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	White
Product EAN number	5025768703012
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H
Technology	Accessory
Accessory type	Electrical
Type of accessory	End-feed
Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Warranty	5 years

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm²)	2.5

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	95
Nominal Product Width (mm)	31.4
Weight (kg)	0.5

PACKAGING

Product EAN number	5025768703012
Packaging single length / height (cm)	30.0
Packaging single width (cm)	30.0
Packaging single depth (cm)	15.0
DUN14 (inner)	05025768703012
Units per outer package	1
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	15.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No