




Features

- Lytespan H-Track accessory, live end feed right. Polycarbonate body, copper alloy contacts. Black. Please check the polarity diagram on selling sheet.

Product Overview

Product name	LYTESPAN H-TRACK LIVE END FEED RIGHT BLK 9001/B-H
Technology	Accessory
Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	Black
Product EAN number	5025768703029
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN H-TRACK LIVE END FEED RIGHT BLK 9001/B-H		
Technology	Accessory		
Accessory type	Electrical		
Type of accessory	End-feed		
Housing	PC Polycarbonate		
Mount	Track mounting		
General application	Hospitality, Museums & Galleries, Office		
ETIM Class	EC002556		
Warranty	5 years		

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm ²)	2.5

PHYSICAL DATA

Housing colour	Black
Nominal Product Length (mm)	95
Nominal Product Width (mm)	31.4
Weight (kg)	0.5

PACKAGING

Product EAN number	5025768703029
Packaging single length / height (cm)	30.0
Packaging single width (cm)	30.0
Packaging single depth (cm)	15.0
DUN14 (inner)	05025768703029
Units per outer package	1
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	15.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No