




Features

- Lytespan Round Track accessory, live end feed right. Polycarbonate body, copper alloy contacts. White. Please check the polarity diagram on selling sheet.

Product Overview

Product name	LYTESPAN ROUND LIVE END FEED RIGHT WHT 9001-ST15/W
Technology	Accessory
Housing	Aluminium, PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	White
Product EAN number	5025768703050
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN ROUND LIVE END FEED RIGHT WHT 9001-ST15/W
Technology	Accessory
Accessory type	Electrical
Type of accessory	End-feed
Housing	Aluminium, PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Warranty	5 years

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm²)	2.5

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	112
Nominal Product Diameter (mm)	46
Weight (kg)	0.5

PACKAGING

Product EAN number	5025768703050
Packaging single length / height (cm)	30.0
Packaging single width (cm)	30.0
Packaging single depth (cm)	12.0

LYTESPAN ROUND LIVE END FEED RIGHT WHT 9001-ST15/W 2070305

DUN14 (inner)	05025768703050
Units per outer package	1
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	12.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No