

Features

- Lytespan Round Track - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for suspended installation only, 1000 x 46 x 40 mm (L x W x H), white (RAL 9010).

Product Overview


Product name	LYTESPAN ROUND TRACK 1M WHITE 9000-1/W-ST15		
Technology	Accessory		
Housing	Aluminium		
Mount	Suspended		
General application	Hospitality, Museums & Galleries, Office		
ETIM Class	EC000101		
Electrical protection	Class I		
Housing colour	RAL9010		
Product EAN number	5025768702688		
Warranty	5 years		

Concord

LYTESPAN ROUND TRACK 1M WHITE 9000-1/W-ST15

2070268

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN ROUND TRACK 1M WHITE 9000-1/W-ST15
Technology	Accessory
Accessory type	Electrical
Type of accessory	Track
Housing	Aluminium
Mount	Suspended
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

Concord

LYTESPAN ROUND TRACK 1M WHITE 9000-1/W-ST15 2070268

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class I
Control gear required	No

PHYSICAL DATA

Housing colour	RAL9010
Nominal Product Length (mm)	1000
Nominal Product Width (mm)	46
Nominal Product Height (mm)	40
Weight (kg)	1.0

PACKAGING

Product EAN number	5025768702688
Packaging single length / height (cm)	106.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2
DUN14 (inner)	05025768702688
Units per outer package	1
Packaging outer length / height (cm)	106.0
Packaging outer width (cm)	6.2
Packaging outer depth (cm)	6.2

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No