


INSET TREND 75 SW ES50 SI EX-LMP
3083520



Features

- 75mm cut out. 2 x 30° Tilt. Round bezel.




Product Overview

Product name	INSET TREND 75 SW ES50 SI EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Light source included	Fixture without Lightsource
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271321
E-number SE	7464292
LOR (%)	Dependent on lamp
Light colour	N/A
Electrical protection	Class II
Housing colour	Silver
IP rating	IP23/20
IK rating	IK02
Product EAN number	8711971835202
Warranty	3 years

INSET TREND 75 SW ES50 SI EX-LMP
3083520

Technical drawings



Data table

GENERAL DATA

Product name	INSET TREND 75 SW ES50 SI EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271321
E-number SE	7464292
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Light colour	N/A
Adjustable chromaticity	N

INSET TREND 75 SW ES50 SI EX-LMP 3083520

ELECTRICAL DATA

Light source included	Fixture without Lightsource
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear required	No
Nominal Frequency (Hz)	50/60Hz

PHYSICAL DATA

Housing colour	Silver
IP rating	IP23/20
IK rating	IK02
Nominal Product Length (mm)	83
Nominal Product Width (mm)	83
Nominal Product Height (mm)	85
Weight (kg)	0.131
Recessed Depth (mm)	100

PACKAGING

Product EAN number	8711971835202
Packaging single length / height (cm)	13.27
Packaging single width (cm)	10.1
Packaging single depth (cm)	7.0
DUN14 (inner)	18711971835209
Units per outer package	30
Packaging outer length / height (cm)	24.4
Packaging outer width (cm)	29.0
Packaging outer depth (cm)	53.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No



INSET TREND 75 SW ES50 SI EX-LMP
3083520

Suitable for household illumination

No