

RECESS BOX SMALL 300X300X150
3007940



Features


- Insulation recess box small 300X300X150 protect transformers, fixtures and building parts against overheating. The boxes are made of flame retardant red polypropylene. They are suitable for mounting on normally flammable materials such as wood. To comply with safety standards, a fixture of max Wattage of 35W can be used. Other fixtures can also be used in combination with these boxes, provided that the minimum recess dimensions and maximum Wattages specified for those fixtures in insulated ceilings are respected.

Product Overview

Product name	RECESS BOX SMALL 300X300X150
Technology	Accessory
Environment	Indoor
General application	Hospitality, Logistics & Industry, Residential & Consumer
ETIM Class	EC002472
E-number FI	4270172
E-number SE	7472698
E-number Norway	3208700
Housing colour	Red
Product EAN number	8711971079408
Warranty	5 years

RECESS BOX SMALL 300X300X150
3007940

Technical drawings



Data table

GENERAL DATA

Product name	RECESS BOX SMALL 300X300X150
Technology	Accessory
Accessory type	Mounting
Environment	Indoor
General application	Hospitality, Logistics & Industry, Residential & Consumer
ETIM Class	EC002472
E-number FI	4270172
E-number SE	7472698
E-number Norway	3208700
Warranty	5 years

OPTICAL DATA

Adjustable chromaticity	N
-------------------------	---



RECESS BOX SMALL 300X300X150
3007940

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	Red
Weight (kg)	0.5

PACKAGING

Product EAN number	8711971079408
Packaging single length / height (cm)	40.0
Packaging single width (cm)	40.0
Packaging single depth (cm)	4.0
DUN14 (inner)	18711971079405
Units per outer package	10
Packaging outer length / height (cm)	40.0
Packaging outer width (cm)	40.0
Packaging outer depth (cm)	4.0

SAFETY DATA

Glow Wire Test (°C)	850
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No