


Features

- Recessed fire rated housing frame to use with RefLED GU10 spotlight lamp Ø50mm - GU10 spotlight not included. Steel body, round bezel ring in white RAL9016 finish, fixed (not adjustable), IP20 degree of protection, class II, outer dimensions (including wiring box): Ø86*122mm, cut-out Ø72mm. Fire rated 30, 60, 90 minutes. Suitable for internal environment only.

Product Overview

Product name	SylFire GU10 IP20 Fixed WHT
Technology	LED/Halogen
Light source included	Fixture without Lightsource
General application	Residential & Consumer
ETIM Class	EC001744
Light colour	N/A
Electrical protection	Class II
Housing colour	RAL9016
IP rating	IP20
IK rating	IK03
Product EAN number	5410288597768
Warranty	3 years

Technical drawings



Data table

GENERAL DATA

Product name	SylFire GU10 IP20 Fixed WHT
Technology	LED/Halogen
General application	Residential & Consumer
ETIM Class	EC001744
Warranty	3 years

OPTICAL DATA

Light colour	N/A
--------------	-----

ELECTRICAL DATA

Light source included	Fixture without Lightsource
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear required	No



SylFire GU10 IP20 Fixed WHT
0059776

Nominal Frequency (Hz)	50/60Hz
Connectable conductor cross section - Min (mm²)	0.75
Connectable conductor cross section - Max (mm²)	1.5

PHYSICAL DATA

Housing colour	RAL9016
IP rating	IP20
IK rating	IK03
Nominal Product Height (mm)	122
Nominal Product Diameter (mm)	86
Weight (kg)	0.242
Recessed Depth (mm)	122

PACKAGING

Product EAN number	5410288597768
Packaging single length / height (cm)	12.0
Packaging single width (cm)	10.0
Packaging single depth (cm)	13.5
DUN14 (inner)	15410288597765
Units per outer package	40
Packaging outer length / height (cm)	62.0
Packaging outer width (cm)	29.0
Packaging outer depth (cm)	42.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No