




### Features

- Lytespan Round Track accessory, X-feed connector. Polycarbonate body, copper alloy contacts. White.

### Product Overview

|                     |                                               |
|---------------------|-----------------------------------------------|
| Product name        | LYTESPAN ROUND TRACK X-FEED WHITE 9017-ST15/W |
| Technology          | Accessory                                     |
| Housing             | Aluminium, PC Polycarbonate                   |
| Mount               | Track mounting                                |
| General application | Hospitality, Museums & Galleries, Office      |
| ETIM Class          | EC002556                                      |
| Housing colour      | White                                         |
| Product EAN number  | 5025768703395                                 |
| Warranty            | 5 years                                       |

### Technical drawings



### Data table

#### GENERAL DATA

|                     |                                               |  |  |
|---------------------|-----------------------------------------------|--|--|
| Product name        | LYTESPAN ROUND TRACK X-FEED WHITE 9017-ST15/W |  |  |
| Technology          | Accessory                                     |  |  |
| Accessory type      | Electrical                                    |  |  |
| Type of accessory   | Coupler/connector X-shape                     |  |  |
| Housing             | Aluminium, PC Polycarbonate                   |  |  |
| Mount               | Track mounting                                |  |  |
| General application | Hospitality, Museums & Galleries, Office      |  |  |
| ETIM Class          | EC002556                                      |  |  |
| Warranty            | 5 years                                       |  |  |

### ELECTRICAL DATA

|                                                 |     |
|-------------------------------------------------|-----|
| Primary Supply/Product voltage - min (V)        | 220 |
| Primary Supply/Product voltage - max (V)        | 240 |
| Control gear required                           | No  |
| Connectable conductor cross section - Max (mm²) | 2.5 |

### PHYSICAL DATA

|                             |       |
|-----------------------------|-------|
| Housing colour              | White |
| Nominal Product Length (mm) | 148   |
| Nominal Product Width (mm)  | 148   |
| Weight (kg)                 | 1.5   |

### PACKAGING

|                                       |                |
|---------------------------------------|----------------|
| Product EAN number                    | 5025768703395  |
| Packaging single length / height (cm) | 30.0           |
| Packaging single width (cm)           | 30.0           |
| Packaging single depth (cm)           | 12.0           |
| DUN14 (inner)                         | 05025768703395 |
| Units per outer package               | 1              |
| Packaging outer length / height (cm)  | 30.0           |
| Packaging outer width (cm)            | 30.0           |
| Packaging outer depth (cm)            | 12.0           |

### SAFETY DATA

|                                     |    |
|-------------------------------------|----|
| Special purpose lamp                | No |
| Dry applications use only           | No |
| Suitable for household illumination | No |