



Features

- Lytespan middle feed for power supply. Polycarbonate body, copper alloy contacts. White. Compatible with OneTrack , Lytespan H-Track, Lytespan Round.

Product Overview

Product name	LYTESPAN MIDDLE FEED FOR POWER SUPPLY WHITE 9001-MF/W
Technology	Accessory
Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	White
Product EAN number	5025768703111
Warranty	5 years

Data table

GENERAL DATA	
Product name	LYTESPAN MIDDLE FEED FOR POWER SUPPLY WHITE 9001-MF/W
Technology	Accessory
Accessory type	Electrical
Type of accessory	Middle feed

LYTESPAN MIDDLE FEED FOR POWER SUPPLY WHITE 9001-MF/W 2070311

Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Warranty	5 years

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm ²)	12

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	203
Nominal Product Width (mm)	31.4
Nominal Product Height (mm)	37.7
Weight (kg)	0.5

PACKAGING

Product EAN number	5025768703111
Packaging single length / height (cm)	30.0
Packaging single width (cm)	30.0
Packaging single depth (cm)	12.0
DUN14 (inner)	05025768703111
Units per outer package	1
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	12.0

SAFETY DATA

Special purpose lamp	No
----------------------	----

LYTESPAN MIDDLE FEED FOR POWER SUPPLY WHITE 9001-MF/W 2070311

Dry applications use only	No
Suitable for household illumination	No