

## ONETRACK L-FEED CONNECTOR OUT BLACK 9012/B 9200730





#### **Features**

 OneTrack accessory, L-feed connector, polarity ridge is in the outer side. Polycarbonate body, copper alloy contacts. Cover for recessed version supplied separately. Black. Please check the polarity diagram on selling sheet. Please check the safety sheet to supply the track with this accessory and follow the instructions correctly.


### **Product Overview**

| Product name        | ONETRACK L-FEED CONNECTOR OUT BLACK 9012/B |
|---------------------|--|
| Technology          | Accessory                                  |
| Mount               | Track mounting                             |
| General application | Museums & Galleries, Office                |
| ETIM Class          | EC002556                                   |
| Housing colour      | Black                                      |
| Product EAN number  | 4012289007300                              |
| Warranty            | 5 years                                    |



# ONETRACK L-FEED CONNECTOR OUT BLACK 9012/B 9200730

### **Technical drawings**



### **Data table**

**GENERAL DATA** 

| Product name | ONETRACK L-FEED CONNECTOR OUT BLAC |
|--------------|------------------------------------|

| Product name      | ONE TRACK L-FEED CONNECTOR OUT BLACK |
|-------------------|--------------------------------------|
|                   | 9012/B                               |
| Technology        | Accessory                            |
| Accessory type    | Electrical                           |
| Type of accessory | Coupler/connector L-shape            |

| Mount               | Track mounting              |
|---------------------|-----------------------------|
| General application | Museums & Galleries, Office |

| ocheral application | Mascarris & Salicrics, S |
|---------------------|--------------------------|
| ETIM Class          | EC002556                 |

| Warranty | 5 years |
|----------|---------|
|----------|---------|



# ONETRACK L-FEED CONNECTOR OUT BLACK 9012/B 9200730

#### **ELECTRICAL DATA**

| Primary Supply/Product voltage - min (V) | 220 |
|--|-----|
| Primary Supply/Product voltage - max (V) | 240 |
| Control gear required                    | No  |
| Connectable conductor cross section -    | 2.5 |
| Max (mm²)                                |     |

### **PHYSICAL DATA**

| Housing colour              | Black |
|-----------------------------|-------|
| Nominal Product Length (mm) | 89.7  |
| Nominal Product Width (mm)  | 25.4  |
| Nominal Product Height (mm) | 89.7  |
| Weight (kg)                 | 0.19  |

#### **PACKAGING**

| Product EAN number                    | 4012289007300 |
|---------------------------------------|---------------|
| Packaging single length / height (cm) | 16.7          |
| Packaging single width (cm)           | 16.7          |
| Packaging single depth (cm)           | 0.32          |
| Units per outer package               | 1             |
| Packaging outer length / height (cm)  | 16.7          |
| Packaging outer width (cm)            | 16.7          |
| Packaging outer depth (cm)            | 0.32          |

### **SAFETY DATA**

| Special purpose lamp                | No |
|-------------------------------------|----|
| Dry applications use only           | No |
| Suitable for household illumination | No |