



Features


- Lytespan pendant adaptor, asymmetric 3-circuit , 4 conductors with phase selector. Polycarbonate body, copper alloy contacts. Black. Max. load. 100N, Max. torque 2.5Nm Compatible with 3-circuit tracks. Compatible with OneTrack.

Product Overview

Product name	LYTESPAN PENDANT ASYM 3PHASE ADAPTOR BLK 9209-4/B
Technology	Accessory
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	Black
Product EAN number	5025768702794
Warranty	5 years

LYTESPAN PENDANT ASYM 3PHASE ADAPTOR BLK 9209-4/B 2070279

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN PENDANT ASYM 3PHASE ADAPTOR BLK 9209-4/B
Technology	Accessory
Accessory type	Electrical
Type of accessory	Pendant adaptor
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Warranty	5 years

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No

LYTESPAN PENDANT ASYM 3PHASE ADAPTOR BLK 9209-4/B 2070279

Connectable conductor cross section - Max (mm ²)	2.5
---	-----

PHYSICAL DATA

Housing colour	Black
Nominal Product Length (mm)	88.6
Nominal Product Width (mm)	38
Nominal Product Height (mm)	55
Weight (kg)	0.5

PACKAGING

Product EAN number	5025768702794
Packaging single length / height (cm)	16.0
Packaging single width (cm)	16.0
Packaging single depth (cm)	4.0
DUN14 (inner)	05025768702794
Units per outer package	1
Packaging outer length / height (cm)	16.0
Packaging outer width (cm)	16.0
Packaging outer depth (cm)	4.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No