


MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL 2056342



Features

- MYRIAD SQUARE HOUSING FLOOD 4000K DALI BLACK REFLECTOR COLOR




Product Overview

Product name	MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
ETIM Class	EC001744
Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
LOR (%)	100
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Beam Angle (°)	48
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Housing colour	Aluminium
IP rating	IP20


MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL
2056342

IK rating	IK02
Product EAN number	5025768563425
Warranty	5 years
Dimming method	DALI

Photometry



Technical drawings



MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL 2056342

Data table

GENERAL DATA

Product name	MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
ETIM Class	EC001744
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
LOR (%)	100
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	48
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear required	No
Dimming method	DALI

MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL 2056342

Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

PHYSICAL DATA

Housing colour	Aluminium
IP rating	IP20
IK rating	IK02
Reflector finish	Not Applicable
Nominal Product Width (mm)	72
Nominal Product Height (mm)	64
Weight (kg)	0.37
Recessed Depth (mm)	64

PACKAGING

Product EAN number	5025768563425
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (inner)	05025768563425
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

SAFETY DATA

Special purpose lamp	No
----------------------	----

Concord

MYRIAD SQUARE HOUS FLOOD 4K DALI BLACK REFL
2056342

Dry applications use only	No
Suitable for household illumination	No