


ONETRACK 3PHASE LIVE END FEED LEFT WHITE 9002-4/W  
9200707



Features


- OneTrack 3-phase accessory, live end feed left. Polycarbonate body, copper alloy contacts. Cover for recessed version supplied separately. White. Please check the polarity diagram on selling sheet.

Product Overview

|                     |                                                   |
|---------------------|---------------------------------------------------|
| Product name        | ONETRACK 3PHASE LIVE END FEED LEFT WHITE 9002-4/W |
| Technology          | Accessory                                         |
| Mount               | Track mounting                                    |
| General application | Museums & Galleries, Office                       |
| ETIM Class          | EC002556                                          |
| Housing colour      | White                                             |
| Product EAN number  | 4012289007072                                     |
| Warranty            | 5 years                                           |

ONETRACK 3PHASE LIVE END FEED LEFT WHITE 9002-4/W  
9200707

Technical drawings



Data table

GENERAL DATA

|                     |                                                      |
|---------------------|------------------------------------------------------|
| Product name        | ONETRACK 3PHASE LIVE END FEED LEFT<br>WHITE 9002-4/W |
| Technology          | Accessory                                            |
| Accessory type      | Electrical                                           |
| Type of accessory   | End-feed                                             |
| Mount               | Track mounting                                       |
| General application | Museums & Galleries, Office                          |
| ETIM Class          | EC002556                                             |
| Warranty            | 5 years                                              |

## ONETRACK 3PHASE LIVE END FEED LEFT WHITE 9002-4/W 9200707

### ELECTRICAL DATA

|                                                              |     |
|--------------------------------------------------------------|-----|
| Primary Supply/Product voltage - min (V)                     | 220 |
| Primary Supply/Product voltage - max (V)                     | 240 |
| Control gear required                                        | No  |
| Connectable conductor cross section - Max (mm <sup>2</sup> ) | 2.5 |

### PHYSICAL DATA

|                             |       |
|-----------------------------|-------|
| Housing colour              | White |
| Nominal Product Length (mm) | 95    |
| Nominal Product Width (mm)  | 31.4  |
| Weight (kg)                 | 0.101 |

### PACKAGING

|                                       |               |
|---------------------------------------|---------------|
| Product EAN number                    | 4012289007072 |
| Packaging single length / height (cm) | 10.5          |
| Packaging single width (cm)           | 3.2           |
| Packaging single depth (cm)           | 3.2           |
| Units per outer package               | 50            |
| Packaging outer length / height (cm)  | 26.5          |
| Packaging outer width (cm)            | 27.0          |
| Packaging outer depth (cm)            | 16.5          |

### SAFETY DATA

|                                     |    |
|-------------------------------------|----|
| Special purpose lamp                | No |
| Dry applications use only           | No |
| Suitable for household illumination | No |