

Blacklight BL368 Circline
FC22W T9 BL368
0000456



Product features

- Circline 22W UV-A fluorescent lamp for insect attraction and fly traps.



PRODUCT OVERVIEW

Product name	FC22W T9 BL368
Technology	Special applications
Lamp shape	Ring
Type	Circle T9
Cap/Base	G10q
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940434
Light colour	BL368 Blacklight
Wattage (W)	22
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	8000
Product EAN number	5410288004563

DATA TABLE

General data	
Product name	FC22W T9 BL368
Technology	Special applications
Lamp shape	Ring
Type	Circle T9
Cap/Base	G10q
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-20°C...+40°C
ETIM Class	EC002962
E-number FI	4940434

Blacklight BL368 Circline

FC22W T9 BL368

0000456

Optical data

Light colour	BL368 Blacklight
Adjustable chromaticity	N

Electrical data

Wattage (W)	22
Mains voltage (V)	230-240V
Control gear required	Yes
Transformer required	No
Dimmable	No
Dimming method	N/A

Lifetime data

Average life (Nominal) (h)	8000
----------------------------	------

Physical data

Max. Length base to base (mm) - A	149.1
Length base to pin Min-Max (mm) - B	149.1-155.6
Max. Lamp Diameter (mm) - D	26.2
Weight (kg)	0.124

Packaging

Single packaging type	Carton
Product EAN number	5410288004563
Packaging single length / height (cm)	21.4
Packaging single width (cm)	21.4
Packaging single depth (cm)	3.6
DUN14 (outer)	15410288004560
Units per outer package	12
Packaging outer length / height (cm)	46.7
Packaging outer width (cm)	23.0
Packaging outer depth (cm)	23.5

Safety data

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Suitable for household illumination	No
Safety message	Not suitable for household

TECHNICAL DRAWINGS

Blacklight BL368 Circline FC22W T9 BL368 0000456

