

PRODUCT DATASHEET DECOR SQUARE 550X150mm 3XG9 IP44

Decor Square | Bathroom luminaires with socket G9 metal and glass



Areas of application

- Bathrooms
- Living rooms
- Bedrooms
- Kitchens
- Offices

Product benefits

- Elegant design
- Socketed luminaire, the lamps can be replaced
- High-quality Luminaire head made out of glass
- IP44, can be used in indoor wet environment

Product features

- Suitable for lamps with G9 base
- High quality glass and metal housing finish
- Decorative Luminaire

TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	П

Photometrical data

Flickering metric (Pst LM)	-
Stroboscope effect metric (SVM)	-

Dimensions & Weight

Length	550.00 mm
Width	150.00 mm
Height	155.00 mm
Product weight	2300.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C
Type of protection	IP44
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No
Holder designation	G9

Certificates & Standards

Standards	CE / UKCA
Standards	cz, okch

Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

DOWNLOAD DATA

DOWNLOAD DATA	DOWN	LOAD	DATA
---------------	------	------	------



User instruction

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075756946	Folding box 1	192 mm x 602 mm x 213 mm	2566.00 g	24.62 dm³
4058075756953	Shipping box 2	407 mm x 235 mm x 628 mm	5867.00 g	60.07 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.