

# PRODUCT DATASHEET DALI Coupler Pushb G2

DALI COUPLER PB G2 | DALI-2 pushbutton coupler to integrate standard switches in DALI systems



#### Areas of application

- Suitable for installation in flush-type boxes
- Individual offices
- Classrooms
- Conference rooms
- Production and assembly facilities

#### **Product benefits**

- Standard pushbuttons/switches can be used
- DALI-2 certified
- DALI Bus powered (No mains connection necessary)
- Multiple couplers connectable to the same DALI line

## **Product features**

- DALI pushbutton coupler
- 4 floating inputs

## **TECHNICAL DATA**

## Electrical data

| Nominal wattage | 0.10 W |
|-----------------|--------|
| Nominal voltage | 16 V   |
| Mains frequency | 0 Hz   |

## **Dimensions & Weight**

| Length         | 43.00 mm |
|----------------|----------|
| Width          | 43.00 mm |
| Height         | 21.00 mm |
| Product weight | 25.00 g  |

## Colors & materials

# Temperatures & operating conditions

| Ambient temperature range | -20+50 °C |
|---------------------------|-----------|
|                           |           |

## Capabilities

| Dimmable             | No                             |
|----------------------|--------------------------------|
| Dimming interface    | DALI-2                         |
| Type of installation | Integrated in flush device box |

#### Certificates & Standards

| Approval marks – approval | CE   |
|---------------------------|------|
| Protection class          | Ш    |
| Type of protection        | IP20 |

## **DOWNLOAD DATA**

|     | DOWNLOAD DATA              |
|-----|----------------------------|
| PDF | User instruction           |
| POF | Declarations of conformity |

#### **LOGISTICAL DATA**

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |  |
|--------------|------------------------------|--------------------------------------|--------------|--------|--|
|--------------|------------------------------|--------------------------------------|--------------|--------|--|

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4062172087575 | Folding box<br>1             | 81 mm x 81 mm x 46 mm                | 42.00 g      | 0.30 dm <sup>3</sup> |
| 4062172087582 | Shipping box<br>60           | 344 mm x 254 mm x 278 mm             | 3187.00 g    | 24.29 dm³            |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.