


# PRODUCT DATASHEET

## DP 1500 TH-KIT 5x2.5

DAMP PROOF ACCESSORIES | Throughwiring kits for DP GEN 2



---

### Product benefits

- Easy installation and tool-free electrical connection

---


### Product features

- Through-wiring kits with tool-free connectors

TECHNICAL DATA

Dimensions & Weight

|                |          |
|----------------|----------|
| Length         | 1200 mm  |
| Width          | 50 mm    |
| Product weight | 245.00 g |



Materials & Colors

|               |              |
|---------------|--------------|
| Product color | Multicolored |
|---------------|--------------|

Certificates & Standards

|           |    |
|-----------|----|
| Standards | CE |
|-----------|----|

EQUIPMENT / ACCESSORIES

- 5x2.5 mm² cables with tool-free connector incl. EMI filter and cable gland inserts for 10-14 mm cables

DOWNLOAD DATA

| Documents and certificates                                                         |                               |
|------------------------------------------------------------------------------------|-------------------------------|
|  | Declarations Of Conformity CE |


LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume    |
|---------------|------------------------------|--------------------------------------|--------------|-----------|
| 4058075695054 | BAG<br>1                     |                                      | 247.00 g     |           |
| 4058075695061 | Shipping box<br>30           | 555 mm x 320 mm x 325 mm             | 8287.00 g    | 57.72 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### ADDITIONAL CATALOG INFORMATION



#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.