

PRODUCT DATASHEET Decor Square 350x350mm 4 x G9 IP44

Decor Square | Bathroom luminaires with socket G9 metal and glass



Areas of application

- Bathrooms
- Living rooms
- Bedrooms
- Kitchens
- Offices

Product benefits

- Elegant design
- Socketed luminaire, the lamps can be replaced
- High-quality Luminaire head made out of glass
- IP44, can be used in indoor wet environment

Product features

- Suitable for lamps with G9 base
- High quality glass and metal housing finish
- Decorative Luminaire



TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	П

Photometrical data

Flickering metric (Pst LM)	-
Stroboscope effect metric (SVM)	-

Dimensions & Weight

Length	350.00 mm
Width	350.00 mm
Height	155.00 mm
Product weight	3000.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C	
Type of protection	IP44	
Dimmable	No	
Mounting type	Surface	
Application environment	Indoor	
With light source	No	
Holder designation	G9	

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Number of illuminants	4

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

DOWNLOAD DATA

	Documents and certificates
PDF	User instruction
POF	Declarations Of Conformity CE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075756960	Folding box 1	212 mm x 372 mm x 373 mm	3285.00 g	29.42 dm³
4058075756977	Shipping box 2	395 mm x 395 mm x 450 mm	7450.00 g	70.21 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.