

## Eco Linear Double Ended R7s DE 78MM ECO 230V 120W R7S SV1 0021533





### **PRODUCT OVERVIEW**

Product name	DE 78MM ECO 230V 120W R7S SV1
Technology	Halogen
Watt (Rated) (W)	120
Lamp shape	Tube, double-ended
Type	Eco Linear Double Ended R7s
Cap/Base	R7s
Lamp finish	Clear
Fixture rating	Enclosed
General application	Hospitality, Museums & Galleries, Residential & Consumer, Retail
ETIM Class	EC000038
Luminous flux (Im)	2250
Colour temperature (K)	2950
Light colour	Warm White
CRI (Ra)	100
Wattage (W)	120
Dimming method	Mains: leading / trailing edge
Average life (Nominal) (h)	2000
Product EAN number	5410288215334

#### **DATA TABLE**

General data	
Product name	DE 78MM ECO 230V 120W R7S SV1
Technology	Halogen
Watt (Rated) (W)	120
Lamp shape	Tube, double-ended
Туре	Eco Linear Double Ended R7s
Cap/Base	R7s
Lamp finish	Clear
Fixture rating	Enclosed
General application	Hospitality, Museums & Galleries, Residential & Consumer, Retail
ETIM Class	EC000038
Optical data	
Luminous flux (Im)	2250
Luminous flux (Rated) (Im)	2250
Colour temperature (K)	2950
Light colour	Warm White



# Eco Linear Double Ended R7s DE 78MM ECO 230V 120W R7S SV1 0021533

CRI (Ra)	100
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	80
Electrical data	
Wattage (W)	120
Starting time (max) (s)	0.01
Warm-up time to 60% of full light (max) (s)	Instant full light
Mains voltage (V)	230V
Lamp power factor	1
Control gear required	No
No. Of switching cycles before premature failures	>8000
Transformer required	No
Dimming method	Mains: leading / trailing edge
kWh per 1000 hours burning time	120
Lifetime data	
Average life (Nominal) (h)	2000
Average life (Rated) (h)	2000
Physical data	
Max. Lamp Diameter (mm) - D	12
Weight (kg)	0.006
(19)	
Packaging	
Single packaging type	Carton
Product EAN number	5410288215334
Packaging single length / height (cm)	12.0
Packaging single width (cm)	1.8
Packaging single depth (cm)	2.1
DUN14 (inner)	15410288215331
Units per inner package	10
Packaging inner length / height (cm)	11.0
Packaging inner width (cm)	4.0
Packaging inner depth (cm)	12.4
DUN14 (outer)	35410288215335
Units per outer package	50
Packaging outer length / height (cm)	
	24.5
Packaging outer width (cm)	24.5 14.5
	24.5
Packaging outer width (cm)	24.5 14.5
Packaging outer width (cm) Packaging outer depth (cm) Safety data	24.5 14.5 13.5
Packaging outer width (cm) Packaging outer depth (cm) Safety data Breakage cleaning instructions Recommendation for disposal at end of	24.5 14.5
Packaging outer width (cm) Packaging outer depth (cm)  Safety data  Breakage cleaning instructions Recommendation for disposal at end of life	24.5 14.5 13.5  Not applicable Not Applicable
Packaging outer width (cm) Packaging outer depth (cm) Safety data Breakage cleaning instructions Recommendation for disposal at end of	24.5 14.5 13.5 Not applicable



# Eco Linear Double Ended R7s DE 78MM ECO 230V 120W R7S SV1 0021533

### **TECHNICAL DRAWINGS**

