

TOLEDO BALL

ToLEDo BALL V6 250LM 827 E14 SL

0026950



Product features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent ball lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating



PRODUCT OVERVIEW

Product name	ToLEDo BALL V6 250LM 827 E14 SL
Technology	LED
Watt (Rated) (W)	3
Type	TOLEDO BALL
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740202
E-number SE	8359541
Warranty	3 years
Luminous flux (lm)	250
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	150
Wattage (W)	3
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288269504

DATA TABLE

General data

Product name	ToLEDo BALL V6 250LM 827 E14 SL
Technology	LED
Watt (Rated) (W)	3
Type	TOLEDO BALL
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25

TOLEDO BALL

ToLEDo BALL V6 250LM 827 E14 SL

0026950

ETIM Class	EC001959
E-number FI	4740202
E-number SE	8359541
Warranty	3 years

Optical data

Luminous flux (lm)	250
Luminous flux (Rated) (lm)	250
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	150
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	3
Equivalent watt (W)	25
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.4
No. Of switching cycles before premature failures	>50000
Inrush Current (A)	2
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	166
Max. Luminaires per 16A C Breaker	266
Max. Luminaires per 20A C Breaker	309

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	82
Nominal Product Diameter (mm)	45
Weight (kg)	0.045

Packaging

Single packaging type	Carton
Product EAN number	5410288269504
Packaging single length / height (cm)	9.5
Packaging single width (cm)	4.8
Packaging single depth (cm)	4.8
DUN14 (inner)	25410288269508
Units per inner package	6
Packaging inner length / height (cm)	19.4
Packaging inner width (cm)	14.1



TOLEDO BALL

ToLEDo BALL V6 250LM 827 E14 SL

0026950

Packaging inner depth (cm)	13.0
DUN14 (outer)	15410288269501
Units per outer package	60
Packaging outer length / height (cm)	75.0
Packaging outer width (cm)	21.0
Packaging outer depth (cm)	30.0

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures