


OptiClip Accessories
OPTICLIP LIGHT E 830 2DC WH
0044038



Product features

- OPTICLIP LIGHT E 830 2DC WH LED light module with reflector, assembled with 2DC connectors, 200-450mA drive current, up to 1900lm flux @450mA drive current, CRI80, 3000K, SDCM 3



PRODUCT OVERVIEW











Product name	OPTICLIP LIGHT E 830 2DC WH
Technology	LED
Cap/Base	N/A
Mount	Ceiling recessed mounting
General application	Education, Office
ETIM Class	EC000996
Warranty	5 years
Fixture luminous flux (lm)	1900
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM5
Beam Angle (°)	80
Photobiological Risk Group	RG1
Total power consumption (W)	15
Electrical protection	Class III
Control gear type	LED driver constant current
Dimmable	No
Dimming method	N/A
IP rating	IP20
IK rating	IK07
Product EAN number	5410288440385

PHOTOMETRY



OptiClip Accessories

OPTICLIP LIGHT E 830 2DC WH

0044038



OptiClip Accessories
OPTICLIP LIGHT E 830 2DC WH
0044038



Distance [m]	Cone diameter [m]	Beam angle [°]	Beam diameter [m]	Beam diameter [ft]	Illuminance [lx]
0.5	0.99	91.2°	0.99	3.25	2196
1.0	1.98	44.7°	1.98	6.50	549
1.5	2.97	43.8°	2.97	9.75	244
2.0	3.96	44.7°	3.96	12.99	159
2.5	4.95	43.8°	4.95	16.25	99
3.0	5.94	44.7°	5.94	19.50	69