

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

PRODUCTINFORMATIEBLAD ST 151 LONGLIFE

Starters for series operation at 230 V AC (ST 151, ST 172) | Serieschakeling voor 230V netspanning



Productkenmerken

- Temperatuurbereik voor betrouwbare veiligheid: -20...+80 °C

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

TECHNISCHE GEGEVENS

ELEKTRISCHE GEGEVENS

Nominale vermogen	22,00 W
Nominale spanning	220...240 V
Netfrequentie	50/60 Hz

AFMETINGEN & GEWICHT

Diameter	21,5 mm
Product gewicht	6,43 g

Levensduur

Levensduur	0 relevant
------------	------------

AANVULLENDE PRODUCTGEGEVENS

Kwikgehalte	0.0 mg
Product opmerking	Starters zijn verkrijgbaar in twee verschillende uitvoeringen, met identieke technische kenmerken

MOGELIJKHEDEN

Dimbaar	Nee
---------	-----

Landspecifieke categorisering

Bestelreferentie	ST 151 LONGLIFE
------------------	-----------------

Data verordening energielabelling acc EU 2019/2015

Lengte	40.30 mm
Hoogte (incl. cylin. armaturen)	21,5 mm
Breedte (incl. ronde armaturen)	21.50 mm

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4050300092638	Blister 2	111 mm x 24 mm x 68 mm	26.10 g	0.18 dm ³
4050300119595	Verzenddoos 20	165 mm x 154 mm x 133 mm	308.67 g	3.38 dm ³

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

choose one Professional

CountryDeutsch
myLEDVANCE

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.