



# Smooth

## Spot Light

### Adjustable Round Deep

CE

RoHS

  
30°





IP  
20



  
38°  
included



|              |                                            |        |
|--------------|--------------------------------------------|--------|
| System Power | 8.4W                                       |        |
| CRI          | >90Ra                                      |        |
| CCT          | 2700K                                      | 3000K  |
| LED Lumen    | 520lm                                      | 550lm  |
| LED Efficacy | 86lm/W                                     | 91lm/W |
| LOR          | >70%                                       |        |
| Driver       | Non-Dimmable or Dimmable Driver (included) |        |



## PRODUCT LIST

| Article No.                              | Product Name                           | Color       | LED Lumen | CCT   | CRI   | LED Power | Reflector | Cutout size |
|------------------------------------------|----------------------------------------|-------------|-----------|-------|-------|-----------|-----------|-------------|
| <b>2.11.3162 / 2.11.3163<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Aluminium   | 520lm     | 2700K | >90Ra | 6W        | 38°       | Ø 68mm      |
| <b>2.11.3165 / 2.11.3166<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Sandy White | 520lm     | 2700K | >90Ra | 6W        | 38°       | Ø 68mm      |
| <b>2.11.3168 / 2.11.3169<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Aluminium   | 550lm     | 3000K | >90Ra | 6W        | 38°       | Ø 68mm      |
| <b>2.11.3171 / 2.11.3172<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Sandy White | 550lm     | 3000K | >90Ra | 6W        | 38°       | Ø 68mm      |

<sup>1</sup> Article No. with <sup>1</sup> indicates dimmable driver is included.



## AVAILABLE DRIVERS

| Article No. | Description           |
|-------------|-----------------------|
| -----       | DALI Dimmable driver  |
| -----       | 1-10V Dimmable driver |



# Smooth



Spot Light  
Adjustable Round Deep





included


|              |                                                  |        |
|--------------|--------------------------------------------------|--------|
| System Power | 8.4W                                             |        |
| CRI          | >90Ra                                            |        |
| CCT          | 2700K                                            | 3000K  |
| LED Lumen    | 520lm                                            | 550lm  |
| LED Efficacy | 84lm/W                                           | 89lm/W |
| LOR          | >70%                                             |        |
| Driver       | 350mA Non-Dimmable or Dimmable Driver (included) |        |



## PRODUCT LIST

| Article No.                              | Product Name                           | Color       | LED Lumen | CCT   | CRI   | LED Power | Reflector | Cutout size |
|------------------------------------------|----------------------------------------|-------------|-----------|-------|-------|-----------|-----------|-------------|
| <b>2.11.3174 / 2.11.3175<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Aluminium   | 520lm     | 2700K | >90Ra | 6W        | 38°       | Ø 75mm      |
| <b>2.11.3177 / 2.11.3178<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Sandy White | 520lm     | 2700K | >90Ra | 6W        | 38°       | Ø 75mm      |
| <b>2.11.3180 / 2.11.3181<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Aluminium   | 550lm     | 3000K | >90Ra | 6W        | 38°       | Ø 75mm      |
| <b>2.11.3183 / 2.11.3184<sup>1</sup></b> | Smooth Adjustable Round Deep Reflector | Sandy White | 550lm     | 3000K | >90Ra | 6W        | 38°       | Ø 75mm      |

<sup>1</sup> Article No. with <sup>1</sup> indicates dimmable driver is included.



**2-light Ceiling Frame**  
Cutout Size 80 x 155mm  
(not included)

## AVAILABLE BEAM ANGLES

| Article No.      | Description                                                                                       | Color     |
|------------------|---------------------------------------------------------------------------------------------------|-----------|
| <b>2.01.0720</b> | 2-light Ceiling Frame for Smooth 8.4W Spot Light                                                  | Aluminium |
| <b>2.01.0721</b> | 2-light Ceiling Frame for Smooth 8.4W Spot Light                                                  | White     |
| -----            | For 2-light Smooth 8.4W Adjustable, please order 2 x single lights and 1 x 2-light Ceiling Frame. |           |

## AVAILABLE DRIVERS

| Article No. | Description           |
|-------------|-----------------------|
| -----       | DALI Dimmable driver  |
| -----       | 1-10V Dimmable driver |