



Smooth

Spot Light

Adjustable Square Deep




System Power	8.4W	
CRI	>90Ra	
CCT	2700K	3000K
LED Lumen	520lm	550lm
LED Efficacy	86lm/W	91lm/W
LOR	>70%	
Driver	Non-Dimmable or Dimmable Driver (included)	



PRODUCT LIST

Article No.	Product Name	Color	LED Lumen	CCT	CRI	LED Power	Reflector	Cutout size
2.11.3186 / 2.11.3187 ¹	Smooth Adjustable Square Deep Reflector	Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.3289 / 2.11.3290 ¹	Smooth Adjustable Square Deep Reflector	Sandy White	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.3292 / 2.11.3293 ¹	Smooth Adjustable Square Deep Reflector	Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 68mm
2.11.3295 / 2.11.3296 ¹	Smooth Adjustable Square Deep Reflector	Sandy White	550lm	3000K	>90Ra	6W	38°	Ø 68mm

¹Article No. with ¹ indicates dimmable driver is included.



AVAILABLE DRIVERS

Article No.	Description
-----	DALI Dimmable driver
-----	1-10V Dimmable driver




Smooth

Spot Light

Adjustable Square Deep




System Power	8.4W	
CRI	>90Ra	
CCT	2700K	3000K
LED Lumen	520lm	550lm
LED Efficacy	84lm/W	89lm/W
LOR	>70%	
Driver	350mA Non-Dimmable or Dimmable Driver (included)	



Smooth 8.4W 3000K

H [m]	Beam [lux]	Beam [Ø cm]	Field [Ø cm]
1	919	68	128
2	230	137	257
3	102	205	385
4	58	273	513
5	37	341	642


Beam (50%) Angle: 38° Field (10%) Angle: 65°




PRODUCT LIST

Article No.	Product Name	Color	LED Lumen	CCT	CRI	LED Power	Reflector	Cutout size
2.11.3198 / 2.11.3199 ¹	Smooth Adjustable Square Deep Reflector	Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 75mm
2.11.3201 / 2.11.3202 ¹	Smooth Adjustable Square Deep Reflector	Sandy White	520lm	2700K	>90Ra	6W	38°	Ø 75mm
2.11.3204 / 2.11.3205 ¹	Smooth Adjustable Square Deep Reflector	Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 75mm
2.11.3207 / 2.11.3208 ¹	Smooth Adjustable Square Deep Reflector	Sandy White	550lm	3000K	>90Ra	6W	38°	Ø 75mm

¹Article No. with ¹ indicates dimmable driver is included.



Cutout Size
Adjustable
Ø 75mm



2-light Ceiling Frame
Cutout Size 80 x 155mm
(not included)

AVAILABLE BEAM ANGLES

Article No.	Description	Color
2.01.0720	2-light Ceiling Frame for Smooth 8.4W Spot Light	Aluminium
2.01.0721	2-light Ceiling Frame for Smooth 8.4W Spot Light	White
-----	For 2-light Smooth 8.4W Adjustable, please order 2 x single lights and 1 x 2-light Ceiling Frame.	

AVAILABLE DRIVERS

Article No.	Description
-----	DALI Dimmable driver
-----	1-10V Dimmable driver