

ModuLED Control

Modular Constant Voltage LED Control

up to 8-Zone Wi-Fi & RF Control

ModuLED Control is the modular RF & Wi-Fi control solution for constant voltage RGB & single color LED strip. You can wirelessly control an unlimited number of LED strips in a maximum of 8 separate zones. Control options are by use of your smart-phone, tablet or with the available remote- and wall controls.

1. Choose the number of receivers needed. (min. 1 per driver)
2. Choose if you want to use a Wi-Fi interface
3. Choose your mix of controllers

Receiver



Wi-Fi / RF



Download
EasyLighting App
for IOS



Download
EasyLighting App
for Android

Controllers

RGB





Dim




ModuLED

Wi-Fi & RF Controller

up to 8-Zone




Receiver (3.10.0422)



Wi-Fi Control (3.10.0430)

Product Information	Input Voltage	12V DC	24V DC
	Max. Output Power	240W	480W
	Max. Load Current	4 * 5A	
	Channels	4	
	LED Connection	Parallel Connection	
3.10.0430	Input Voltage	12/24V DC	
	Operation Frequency	433.92MHz / 868MHz	
	Control Zones	8-zone	
	Max. RF Range	20m	



Article No.	Product Name	Product List
3.10.0422	ModuLED Control, RF 12/24V 4 channel receiver, max. 5A per channel, excl. LED driver	
3.10.0430	ModuLED Wi-Fi Control	

ModuLED RGB

RF Controller RGB

up to 8-Zone



Turn Wall (3.10.0426)*



Touch Wall (3.10.0428)*



Touch Wall (3.10.0429)






Remote (3.10.0424)





NEW Remote (3.10.0474)




Product Information	3.10.0424	Battery Type	3*AAA Battery (excluded)
		Operation Frequency	433.92MHz / 868MHz
		Control Zones	8-zone
		Accessories	Wall bracket (included)
	3.10.0474	Battery Type	CR2025 3V (included)
		Operation Frequency	433.92MHz / 868MHz
		Control Zones	1-zone
	3.10.0426	Battery Type	CR2025 3V (included)
		Operation Frequency	433.92MHz / 868MHz
		Control Zones	1-zone
	3.10.0428	Battery Type	CR2025 3V (included)
		Operation Frequency	433.92MHz / 868MHz
		Control Zones	1-zone
	3.10.0429	Input Voltage	230V
		Operation Frequency	433.92MHz / 868MHz
		Control Zones	4-zone
	Max. RF Range		20m




Remote (3.10.0424)




Remote (3.10.0474)



Turn Wall (3.10.0426)



Touch Wall (3.10.0428)



Touch Wall (3.10.0429)

Product List	Article No.	Product Name
	3.10.0424	Remote control RF ModuLED DIM Control, 8 zones, battery excluded
	3.10.0474	Remote control RF ModuLED RGB Control, 1 zone, battery included
	3.10.0426*	Turn wall control RF ModuLED RGB Control, 1 zone, battery included
	3.10.0428*	Touch wall control RF ModuLED RGB Control, 1 zone, battery included
	3.10.0429	Touch wall control RF ModuLED RGB Control, 4 zones, 230V

* also suitable for use in certain wall frames of the brands: Berker, Gira, Jung & Merten.

ModuLED Dim

RF Controller Single Color

up to 5-Zone




Remote (3.10.0423)




Turn Wall (3.10.0425)*



Touch Wall (3.10.0427)*



Battery Type	CR2025 3V (included)	3.10.0423	Product Information
Operation Frequency	433.92MHz / 868MHz		
Control Zones	5-zone		
Accessories	Wall bracket (included)		
Battery Type	CR2025 3V (included)	3.10.0425	Product Information
Operation Frequency	433.92MHz / 868MHz		
Control Zones	1-zone		
Battery Type	CR2025 3V (included)	3.10.0427	Product Information
Operation Frequency	433.92MHz / 868MHz		
Control Zones	1-zone		
Max. RF Range	20m		



Article No.	Product Name	Product List
3.10.0423	Remote control RF ModuLED Dim Control, 5 zone, battery included	
3.10.0425*	Turn wall control RF ModuLED Dim Control, 1 zone, battery included	
3.10.0427*	Touch wall control RF ModuLED Dim Control, 1 zone, battery included	

* also suitable for use in certain wall frames of the brands: Berker, Gira, Jung & Merten.