DATASHEET.



Product name LAVABATH2-GL-400-MR Item number 38086 Manufacturer ETHERMA



Product description

Bathroom infrared heating panel, glass mirror, 130x50cm, 400W, 230V

TD C

The LAVA BATH 2.0 is the perfect heater for your bathroom. Strong surface material made of ESG safety glass, corian or fine stone, as well as 2 temperature limiters in all panels, ensure safety when in use at all times. The innovative technology makes the surfaces a very good radiation emitter. In conjunction with the even heat distribution on the surface, the optimally insulated back surface guarantees high radiation efficiency and thus maximum infrared heat radiation to the front of the room; once switched on, depending on the surface, the panel is heated to max. 80 °C and provides comforting warmth within a couple of moments. And, thanks to its included towel holder, it also ensures cozy, warm towels. The frame-less design is modern. There are four surfaces (STEEL/GLASS/STONE/CORIAN) and up to five outputs to choose from - whatever you'd like. In addition, up to two additional towel rails can be attached to the unit. The practical Plug & Play box on the back allows easy installation of a control, whether directly on the unit, by radio or by means of a wired controller. Incl. a chrome-plated towel rail, open on one side, on/off switch, surface temperature: max. 80 °C, vertical wall mount, protection rating: IP X4, surfaces: sheet steel, 6 mm toughened safety glass, 6 mm fine stone or 12 mm corian, plug connection cable: 1 m, quality marking: CE.

Technical Details

Time of ID andiction

Type of IR radiation	IR-C
Mounting method	Surface mounting
Mounting direction	Vertical
Ceiling mounting	No
Degree of protection (IP)	IPX4
Colour	Other
With imprint	No
With room temperature controller	No
With mounting material	Yes
With framework	No
Material framework	Other
Colour framework	Other
Surface treatment	Other
Surface structure front side panel	Smooth
With lighting cove	No
Dimmable	No
Light outlet	Direct

Power consumption	400 Watt
Supply voltage	230 230 Volt
Frequency supply voltage	50 50 Hertz
Max. surface temperature	70 Degrees celsius
Height	1300 Millimetre
Width	500 Millimetre
Depth	61 Millimetre
RAL-number	0
Colour temperature	0 0 Kelvin