DATASHEET.



Product name LAVABATH2-ST-700-W Item number 40564 Manufacturer ETHERMA



Product description

Bathroom infrared heating panel, metal, white, 160x63cm, 700W, 230V

The LAVA BATH 2.0 is the perfect heater for your bathroom. Strong surface material made of ESG safety glass, corian or fine stone, as well as 2 temperature limiters in all panels, ensure safety when in use at all times. The innovative technology makes the surfaces a very good radiation emitter. In conjunction with the even heat distribution on the surface, the optimally insulated back surface guarantees high radiation efficiency and thus maximum infrared heat radiation to the front of the room; once switched on, depending on the surface, the panel is heated to max. 80 °C and provides comforting warmth within a couple of moments. And, thanks to its included towel holder, it also ensures cozy, warm towels. The frame-less design is modern. There are four surfaces (STEEL/GLASS/STONE/CORIAN) and up to five outputs to choose from - whatever you'd like. In addition, up to two additional towel rails can be attached to the unit. The practical Plug & Play box on the back allows easy installation of a control, whether directly on the unit, by radio or by means of a wired controller. Incl. a chrome-plated towel rail, open on one side, on/off switch, surface temperature: max. 80 °C, vertical wall mount, protection rating: IP X4, surfaces: sheet steel, 6 mm toughened safety glass, 6 mm fine stone or 12 mm corian, plug connection cable: 1 m, quality marking: CE.

Technical Details

Type of IR radiation IR-C Mounting method Surface mounting **Mounting direction** Vertical **Ceiling mounting** No Degree of protection (IP) IPX4 White Colour With imprint No With room temperature No controller With mounting material Yes With framework No **Material framework** Other White **Colour framework Surface treatment** Other Surface structure front side Smooth panel With lighting cove No **Dimmable** No **Light outlet** Direct

700 Watt **Power consumption** Supply voltage 230|230 Volt Frequency supply voltage 50|50 Hertz Max. surface temperature 70 Degrees celsius Height 1600 Millimetre Width 630 Millimetre Depth 57 Millimetre **RAL-number** 9016 **Colour temperature** 0|0 Kelvin