

Terminal, iPo plug-in terminal, through-type terminal, 35 mm², gray



Model	
product brand name	SETRON
design of the product	iPo through-type terminal
product variations	through-type terminal, for mounting on mounting rail acc. to IEC 60715
design of terminal / terminal levels internally linked	No
operating voltage / rated value	1 000 V
Protection class	
combustibility class according to UL 94	V0
Main circuit	
operational current / rated value	125 A
Appearance	
color	grey
Product details	
product component / required / end cover plate	No
Number	
number of terminal levels	1
number of terminal points / per terminal level	2
Connections	
connectable conductor cross-section / solid	
• minimum	2.5 mm ²
• maximum	35 mm ²
connectable conductor cross-section / finely stranded	
• with core end processing / minimum	2.5 mm ²
• with core end processing / maximum	35 mm ²
• without core end processing / minimum	2.5 mm ²
• without core end processing / maximum	35 mm ²
type of connection	
• 1	plug terminal connection
• 2	plug terminal connection
position / of the terminal	top
Mechanical Design	
height	91.6 mm
height / with lowest-profile installation	62.3 mm
depth	68.25 mm
length	92 mm
net weight	83 g
material / of the insulating body	Other
Environmental conditions	

ambient temperature / during operation

- minimum
- maximum

-60 °C
-105 °C

General Product Approval

Declaration of
Conformity



[Confirmation](#)



EG-Konf.

other

[Environmental Con-
firmations](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH6000-0AM00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WH6000-0AM00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH6000-0AM00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



