

Sample image

## Datasheet


**Article number:** 70011289

**Description:** Other Component

|                                                                                                                                                                                                                                                                                                        |                                   |                                          |                                                                                              |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------|--------------------|
| IEC 60947-3 EN 60947-3, VDE 0660 Teil 107                                                                                                                                                                                                                                                              |                                   |                                          |                                                                                              |                    |
| Номинальное напряжение изоляции Ui                                                                                                                                                                                                                                                                     |                                   |                                          |                                                                                              |                    |
| Напряжение (В) Переменный ток/Постоянный ток                                                                                                                                                                                                                                                           |                                   |                                          |                                                                                              |                    |
| 1000 AC                                                                                                                                                                                                                                                                                                |                                   |                                          |                                                                                              |                    |
| Номинальный длительный ток Iu/Ith                                                                                                                                                                                                                                                                      |                                   |                                          |                                                                                              |                    |
| Сила тока (А)                                                                                                                                                                                                                                                                                          | Температура окружающей среды (°C) | Пиковое значение температуры (°C)        | Дополнительные требования                                                                    |                    |
| 315                                                                                                                                                                                                                                                                                                    | 50                                | 55                                       | Средняя температура окружающей среды +50°C в течение 24 часов с максимальным значением +55°C |                    |
| Номинальная рабочая мощность                                                                                                                                                                                                                                                                           |                                   |                                          |                                                                                              |                    |
| Категория применения                                                                                                                                                                                                                                                                                   | Напряжение (диапазон) (В)         |                                          | Количество фаз                                                                               | Количество полюсов |
| AC-3                                                                                                                                                                                                                                                                                                   | 220 - 240                         |                                          | 3                                                                                            | 3                  |
| AC-3                                                                                                                                                                                                                                                                                                   | 380 - 440                         |                                          | 3                                                                                            | 3                  |
| AC-3                                                                                                                                                                                                                                                                                                   | 660 - 690                         |                                          | 3                                                                                            | 3                  |
| AC-23A                                                                                                                                                                                                                                                                                                 | 220 - 240                         |                                          | 3                                                                                            | 3                  |
| AC-23A                                                                                                                                                                                                                                                                                                 | 380 - 440                         |                                          | 3                                                                                            | 3                  |
| AC-23A                                                                                                                                                                                                                                                                                                 | 660 - 690                         |                                          | 3                                                                                            | 3                  |
| Максимальный номинал предохранителя по IEC                                                                                                                                                                                                                                                             |                                   |                                          |                                                                                              |                    |
| Характеристика предохранителя                                                                                                                                                                                                                                                                          |                                   |                                          | Количество предохранителей                                                                   |                    |
| gG                                                                                                                                                                                                                                                                                                     |                                   |                                          | 1                                                                                            |                    |
| UL60947-4-1 , UL508                                                                                                                                                                                                                                                                                    |                                   |                                          |                                                                                              |                    |
| Nominal Voltage                                                                                                                                                                                                                                                                                        |                                   |                                          |                                                                                              |                    |
| Voltage (V) AC / DC                                                                                                                                                                                                                                                                                    |                                   |                                          |                                                                                              |                    |
| 600 AC                                                                                                                                                                                                                                                                                                 |                                   |                                          |                                                                                              |                    |
| Номинальное напряжение изоляции Ui                                                                                                                                                                                                                                                                     |                                   |                                          |                                                                                              |                    |
| Напряжение (В) Переменный ток/Постоянный ток                                                                                                                                                                                                                                                           |                                   |                                          |                                                                                              |                    |
| 600 AC                                                                                                                                                                                                                                                                                                 |                                   |                                          |                                                                                              |                    |
| Rated thermal current                                                                                                                                                                                                                                                                                  |                                   |                                          |                                                                                              |                    |
| Current (A)                                                                                                                                                                                                                                                                                            |                                   | Ambient temperature (°C) Additional Text |                                                                                              |                    |
| 300                                                                                                                                                                                                                                                                                                    |                                   | 0 - 40 --                                |                                                                                              |                    |
| Horsepower rating                                                                                                                                                                                                                                                                                      |                                   |                                          |                                                                                              |                    |
| Across-the-Line Motor Starting                                                                                                                                                                                                                                                                         |                                   | Voltage (V)                              | No. of phases                                                                                | No. of poles       |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 110 - 120                                | 1                                                                                            | 2                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 220 - 240                                | 1                                                                                            | 2                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 277 - 277                                | 1                                                                                            | 2                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 440 - 480                                | 1                                                                                            | 2                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 550 - 600                                | 1                                                                                            | 2                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 110 - 120                                | 3                                                                                            | 3                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 220 - 240                                | 3                                                                                            | 3                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 440 - 480                                | 3                                                                                            | 3                  |
| DOL                                                                                                                                                                                                                                                                                                    |                                   | 550 - 600                                | 3                                                                                            | 3                  |
| SCCR / Max. fuse rating                                                                                                                                                                                                                                                                                |                                   |                                          |                                                                                              |                    |
| Conditions of acceptability                                                                                                                                                                                                                                                                            |                                   |                                          |                                                                                              |                    |
| This device is suitable for use on circuits capable of delivering not more than 10kA rms symmetrical amperes, 600V ac max. when protected by Type RK1 fuses.                                                                                                                                           |                                   |                                          |                                                                                              |                    |
| Suitable for use on a circuit capable of delivering not more than 65000 rms symmetrical amperes at 600V max., when protected by 400A Class J fuses.                                                                                                                                                    |                                   |                                          |                                                                                              |                    |
| Temp. rating of wire                                                                                                                                                                                                                                                                                   |                                   |                                          |                                                                                              |                    |
| Temperature rating (°C)                                                                                                                                                                                                                                                                                |                                   | Current (A) Text                         |                                                                                              |                    |
| 75                                                                                                                                                                                                                                                                                                     |                                   | -- --                                    |                                                                                              |                    |
| General Use                                                                                                                                                                                                                                                                                            |                                   |                                          |                                                                                              |                    |
| AC / DC                                                                                                                                                                                                                                                                                                | Voltage (V)                       | Current (A)                              | No. of phases                                                                                | No. of poles       |
| AC                                                                                                                                                                                                                                                                                                     | 277                               | 300                                      | 1                                                                                            | 1                  |
| AC                                                                                                                                                                                                                                                                                                     | 600                               | 300                                      | 1                                                                                            | 2                  |
| AC                                                                                                                                                                                                                                                                                                     | 600                               | 300                                      | 3                                                                                            | 3                  |
| Общая информация                                                                                                                                                                                                                                                                                       |                                   |                                          |                                                                                              |                    |
| Текст                                                                                                                                                                                                                                                                                                  |                                   |                                          |                                                                                              |                    |
| - The operating handle and position indicating means to be used with these manual motor controllers should be provided from the manufacturer, or the operating handle and position indicating means to be used should have been previously evaluated in combination with the manual motor controllers. |                                   |                                          |                                                                                              |                    |
| CSA                                                                                                                                                                                                                                                                                                    |                                   |                                          |                                                                                              |                    |
| Nominal Voltage                                                                                                                                                                                                                                                                                        |                                   |                                          |                                                                                              |                    |
| Voltage (V) AC / DC                                                                                                                                                                                                                                                                                    |                                   |                                          |                                                                                              |                    |
| 600 AC                                                                                                                                                                                                                                                                                                 |                                   |                                          |                                                                                              |                    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------------------------------|-----------------|---------------------------------------------------------------------------------------|--------------------------|
| Номинальное напряжение изоляции Ui                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Напряжение (В) Переменный ток/Постоянный ток                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| 600 AC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Rated thermal current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Current (A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                    | Ambient temperature (°C)      |                                    | Additional Text |                                                                                       |                          |
| 300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 0 - 40                        |                                    | --              |                                                                                       |                          |
| Horsepower rating                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Across-the-Line Motor Starting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                    | Voltage (V)                   | No. of phases                      | No. of poles    | Power (HP)                                                                            | Ambient temperature [°C] |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 110 - 120                     | 1                                  | 2               | 20                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 220 - 240                     | 1                                  | 2               | 35                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 277 - 277                     | 1                                  | 2               | 35                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 440 - 480                     | 1                                  | 2               | 50                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 550 - 600                     | 1                                  | 2               | 60                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 110 - 120                     | 3                                  | 3               | 40                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 220 - 240                     | 3                                  | 3               | 75                                                                                    | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 440 - 480                     | 3                                  | 3               | 100                                                                                   | 40                       |
| DOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    | 550 - 600                     | 3                                  | 3               | 100                                                                                   | 40                       |
| Temp. rating of wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Temperature rating (°C)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                    | Current (A)                   |                                    | Text            |                                                                                       |                          |
| 75                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    | --                            |                                    | --              |                                                                                       |                          |
| General Use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| AC / DC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Voltage (V)                                                                                                                                                                                                                                                                                                                                                                        | Current (A)                   | No. of phases                      | No. of poles    | No. of contacts in series                                                             |                          |
| AC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 277                                                                                                                                                                                                                                                                                                                                                                                | 300                           | 1                                  | 1               | 1                                                                                     |                          |
| AC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 600                                                                                                                                                                                                                                                                                                                                                                                | 300                           | 1                                  | 2               | 1                                                                                     |                          |
| AC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 600                                                                                                                                                                                                                                                                                                                                                                                | 300                           | 3                                  | 3               | 1                                                                                     |                          |
| ОСНОВНАЯ ТЕХНИЧЕСКАЯ ИНФОРМАЦИЯ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Size of conductor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| composition of conductor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Min. / Max. value                                                                                                                                                                                                                                                                                                                                                                  | No. of conductor per terminal | Cross section (mm²) or (AWG/kcmil) |                 | Material of the wire                                                                  |                          |
| solid wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Min.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 16mm²                              |                 | Copper                                                                                |                          |
| flexible wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Max.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | MCM 300                            |                 | Copper                                                                                |                          |
| flexible wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Max.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 150mm²                             |                 | Copper                                                                                |                          |
| flexible wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Min.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 25mm²                              |                 | Copper                                                                                |                          |
| Single-core or stranded wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Max.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 185mm²                             |                 | Copper                                                                                |                          |
| Single-core or stranded wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Max.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | MCM 350                            |                 | Copper                                                                                |                          |
| flexible wire with sleeve                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Max.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 120mm²                             |                 | Copper                                                                                |                          |
| flexible wire with ferrule according to DIN 46228                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Min.                                                                                                                                                                                                                                                                                                                                                                               | 1                             | 16mm²                              |                 | Copper                                                                                |                          |
| Stripping length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Length (mm) --                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Рекомендуемая отвертка                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Тип отвертки                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Value                                                                                                                                                                                                                                                                                                                                                                              |                               |                                    |                 |                                                                                       |                          |
| Шестигранный ключ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 6                                                                                                                                                                                                                                                                                                                                                                                  |                               |                                    |                 |                                                                                       |                          |
| Момент затяжки винтов                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Момент затяжки (Нм)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    |                               | Момент затяжки (фунт-дюйм)         |                 |                                                                                       |                          |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    |                               | 140                                |                 |                                                                                       |                          |
| Approbations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 | Marking                                                                               |                          |
| EAC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |  |                          |
| CE marking                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |  |                          |
| UK Directives                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |  |                          |
| CSA C.22.2 No.14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |  |                          |
| GB/T14048.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |  |                          |
| Общая информация                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Текст                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| <div>- Не смазывайте и не разбирайте контакты.</div> <div>- Переключатели могут быть установлены, подключены и введены в эксплуатацию только квалифицированным персоналом в соответствии с принятыми техническими правилами.</div> <div>- Используйте только медные провода. Не покрывать конец провода оловом.</div> <div>- Клеммы с заводскими перемычками затянуты в процессе производства. Во время откручивания скреплённых перемычками клемм проследите, что бы перемычки не потерялись. После подключения все винты клемм должны быть затянуты с рекомендуемым моментом затяжки винта.</div> |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Waste Electrical & Electronic Equipment (WEEE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Picture name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Description                                                                                                                                                                                                                                                                                                                                                                        |                               |                                    |                 |                                                                                       |                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Do not throw in the trash as care must be taken to ensure environmentally sound disposal and recycling. Please either use an environmentally friendly waste disposal company; return to the supplier for disposal; or return direct to the manufacturer, Kraus & Naimer. You can find local Kraus & Naimer offices at <a href="http://www.krausnaimer.com">www.krausnaimer.com</a> |                               |                                    |                 |                                                                                       |                          |
| Proposition 65                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Picture name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Description                                                                                                                                                                                                                                                                                                                                                                        |                               |                                    |                 |                                                                                       |                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | WARNING: This product can expose you to chemicals including nickel and lead, which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .                                                                                                                                            |                               |                                    |                 |                                                                                       |                          |
| Classification Contact: Rigid contact bridge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |
| Classification Contact Mat: Silver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    |                               |                                    |                 |                                                                                       |                          |


## Mounting-E



|                          |    |                  |
|--------------------------|----|------------------|
| IP - Код лицевая сторона |    | IP66, IP67       |
| Stages                   |    | 1,00 - 5,00      |
| A                        | □  | 68,00 mm         |
| B                        | ∅  | 6,00 mm          |
| C                        | ∅  | 13,00 - 17,00 mm |
| D                        | H  | <= 5,50 mm       |
| E                        | H  | 88,00 mm         |
| G                        | H  | 8,50 mm          |
| M                        | M̄ | 1,20 Nm          |
| M1                       | M̄ | 1,50 Nm          |

## Wiring diagram

KG315.T303.E



## Switch program


KG315.T303.E

|  Kraus & Naimer         |     | KG315                                                                             |           | T303      |   | Page 1 of 1 |    |    |    |
|----------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------|-----------|-----------|---|-------------|----|----|----|
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
| <b>Face Plate</b>                                                                                        |     |                                                                                   |           |           |   |             |    |    |    |
|                         |     | 1/L1<br>1                                                                         | 3/L2<br>3 | 5/L3<br>5 | 7 | 9           | 11 | 13 | 15 |
|                                                                                                          |     |  |           |           |   |             |    |    |    |
| Switching Angle <input type="text" value="90"/><br>Total switching Angle <input type="text" value="90"/> |     | 2                                                                                 | 4         | 6         | 8 | 10          | 12 | 14 | 16 |
|                                                                                                          |     | 2/T1                                                                              | 4/T2      | 6/T3      |   |             |    |    |    |
| 0                                                                                                        | 270 |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
| 1                                                                                                        | 0   |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          | 90  |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          | 180 |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |
|                                                                                                          |     |                                                                                   |           |           |   |             |    |    |    |

Version: 84

## Face plate

S1.F456/A10.M1H



## PADLOCK DEVICE

**Designation:** S2.V845/A11/A12

**Face plate and handle unit:** "A" face plate/alu, frame/black, handle/black, locking push rod/red

**Locking position:** "1" at 270°+90° - knockouts every 45°

**Angular displacement:** "1" 1 x 90°

**Type of mounting:** "A" for type of mounting E

**Type of version:** "1" for same switch size

**Switch type:** "2" for KA-, KG- and KH(R)-switches

