

Blacklight BL368 Linear T5
F15W T5 BL368
0000090



Product features

- Blacklight BL368 T5 UV-A lamp with spectral peak at 368nm



PRODUCT OVERVIEW

Product name	F15W T5 BL368
Technology	Special applications
Type	T5
Cap/Base	G5
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
E-number FI	4940423
Light colour	BL368 Blacklight
Product Voltage (V)	44
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	10000
Product EAN number	5410288000909

DATA TABLE

General data	
Product name	F15W T5 BL368
Technology	Special applications
Type	T5
Cap/Base	G5
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-15°C...+50°C
E-number FI	4940423
Optical data	
Light colour	BL368 Blacklight
Adjustable chromaticity	N

Blacklight BL368 Linear T5

F15W T5 BL368

0000090

Electrical data

Current (A)	0.310
Mains voltage (V)	230-240V
Product Voltage (V)	44
Control gear required	Yes
Transformer required	No
Dimmable	No
Dimming method	N/A

Lifetime data

Average life (Nominal) (h)	10000
----------------------------	-------

Physical data

Nominal Product Length (mm)	300.0
Nominal Product Diameter (mm)	16
Max. Length base to base (mm) - A	288.3
Length base to pin Min-Max (mm) - B	293.0-295.4
Max. Lamp Length (mm) - C/L	302.5
Max. Lamp Diameter (mm) - D	17.0
Weight (kg)	0.023

Packaging


Single packaging type	Carton
Product EAN number	5410288000909
Packaging single length / height (cm)	30.3
Packaging single width (cm)	1.9
Packaging single depth (cm)	1.9
Units per outer package	25
Packaging outer width (cm)	11.0
Packaging outer depth (cm)	10.5

Safety data

Lamp mercury content (mg)	2.30
Optimal operating condition (°C)	-15-50
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Safety message	Not suitable for household

PHOTOMETRY

Blacklight BL368 Linear T5
F15W T5 BL368
0000090



TECHNICAL DRAWINGS

