

Aquastar T8


F36W/T8 Aquastar Retail

0000647



Product features

- Colour temperature 10,000K recreating the tropical light spectrum. For fresh and marine aquariums. Excellent combination with DaylighStar. Outstanding results in combination with Daylightstar.



PRODUCT OVERVIEW

Product name	F36W/T8 Aquastar Retail
Technology	Fluorescent
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
E-number Norway	3800448
Luminous flux (lm)	2200
Colour temperature (K)	10000
Light colour	Aquastar
Product Voltage (V)	103
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Average life (Nominal) (h)	10000
Product EAN number	5410288006475

DATA TABLE

General data

Product name	F36W/T8 Aquastar Retail
Technology	Fluorescent
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
Operating temperature range (°C)	-15°C...+40°C
E-number Norway	3800448

Optical data

Luminous flux (lm)	2200
--------------------	------

Aquastar T8

F36W/T8 Aquastar Retail
0000647

Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	10000
Light colour	Aquastar
Adjustable chromaticity	N

Electrical data

Watt (Rated) - High frequency (W)	32.00
Current (A)	0.430
Product Voltage (V)	103
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Dimming method	Mains: leading / trailing edge

Lifetime data

Average life (Nominal) (h)	10000
Average life (Rated) (h)	10000

Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.16

Packaging

Single packaging type	Carton
Product EAN number	5410288006475
Packaging single length / height (cm)	128.3
Packaging single width (cm)	2.7
Packaging single depth (cm)	2.7
Units per outer package	10
Packaging outer width (cm)	6.5
Packaging outer depth (cm)	14.7

Safety data

Lamp mercury content (mg)	2.30
Optimal operating condition (°C)	-15-40
Breakage cleaning instructions	Applicable
Special purpose lamp	Yes
Intended purpose	Petcare (not including High UV content)
Safety message	Not suitable for household

TECHNICAL DRAWINGS



Aquastar T8
F36W/T8 Aquastar Retail
0000647

