

ToLEDo GLS

ToLEDo GLS V6 806LM 840 E27 SL

0026668



Product features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent GLS lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating



PRODUCT OVERVIEW

Product name	ToLEDo GLS V6 806LM 840 E27 SL
Technology	LED
Watt (Rated) (W)	8.5
Type	ToLEDo GLS
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
E-number FI	4740353
E-number SE	8292591
Warranty	3 years
Luminous flux (lm)	806
Colour temperature (K)	4000
Light colour	Cool White
Beam Angle (°)	180
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288266688

DATA TABLE

General data

Product name	ToLEDo GLS V6 806LM 840 E27 SL
Technology	LED
Watt (Rated) (W)	8.5
Type	ToLEDo GLS
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer

ToLEDo GLS

ToLEDo GLS V6 806LM 840 E27 SL

0026668

Performance ambient temperature Tq (°C)	25
E-number FI	4740353
E-number SE	8292591
Warranty	3 years

Optical data

Luminous flux (lm)	806
Luminous flux (Rated) (lm)	806
Colour temperature (K)	4000
Light colour	Cool White
Beam Angle (°)	180
Lumen maintenance at end of nominal life (%)	70

Electrical data

Equivalent watt (W)	60
Starting time (max) (s)	0.5
Product Voltage (V)	230
Lamp power factor	0.5
Inrush Current (A)	2.4
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	173

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	112
Nominal Product Diameter (mm)	60
Weight (kg)	0.057

Packaging

Single packaging type	Carton
Product EAN number	5410288266688
Packaging single length / height (cm)	11.3
Packaging single width (cm)	6.4
Packaging single depth (cm)	6.4
DUN14 (inner)	25410288266682
Units per inner package	6
Packaging inner length / height (cm)	20.4
Packaging inner width (cm)	13.4
Units per outer package	60
Packaging outer width (cm)	22.2
Packaging outer depth (cm)	29.7

Safety data

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

ToLEDo GLS
ToLEDo GLS V6 806LM 840 E27 SL
0026668

Special purpose lamp	No
Dry applications use only	Yes
Safety message	Not Suitable for totally enclosed fixtures

TECHNICAL DRAWINGS

